

參考文獻

02 我要給你的承諾

More and more scientific research is showing: Giuseppe Passarino, Francesco De Rango, and Alberto Montesanto, "Human Longevity: Genetics or Lifestyle? It Takes Two to Tango," *Immunity and Ageing* 13, no. 12 (April 2016), doi:10.1186/s12979-016-0066-z.

you lose about 1 percent of your muscle mass per year after age 30: Walter R. Frontera et al., "Aging of Skeletal Muscle: A 12-Yr Longitudinal Study," *Journal of Applied Physiology* (1985) 88, no. 4 (2000): 1321–6, doi: 10.1152/jappl.2000.88.4.1321; Bret H. Goodpaster et al., "The Loss of Skeletal Muscle Strength, Mass, and Quality in Older Adults: The Health, Aging, and Body Composition Study," *Journals of Gerontology: Series A, Biological Sciences and Medical Sciences* 61, no. 10 (2006): 1059–64, doi: 10.1093/gerona/61.10.1059.

you can not only prevent muscle loss in your forties: Maren S. Fragala et al., "Resistance Training for Older Adults: Position Statement from the National Strength and Conditioning Association," *Journal of Strength and Conditioning Research* 33, no. 8 (Aug 2019): 2019–52, doi: 10.1519/JSC.0000000000003230.

In a study conducted by scientists at the University of Oklahoma: Chad M. Kerksick et al., "Early-Phase Adaptations to a Split-Body, Linear Periodization Resistance Training Program in College-Aged and Middle-Aged Men," *Journal of Strength and Conditioning Research* 23, no. 3 (2009): 962–71, doi:10.1519/JSC.0b013e3181a00baf.

seen in a study conducted by scientists at the University of Maryland: F. Marty Ivey et al., "Effects of Age, Gender, and



Myostatin Genotype on the Hypertrophic Response to Heavy Resistance Strength Training," *Journals of Gerontology: Series A, Biological Sciences and Medical Sciences* 55, no. 11 (2000): 641–48, doi: 10.1093/gerona/55.11.m641.

In a study conducted at Brigham Young University: Larry A. Tucker, "Physical Activity and Telomere Length in U.S. Men and Women: An NHANES Investigation," *Preventive Medicine* 100 (2017): 145–51, doi: 10.1016/j.ypmed.2017.04.027.

A study conducted by scientists at the University of Giessen: Petra Lührmann et al., "Longitudinal Changes in Energy Expenditure in an Elderly German Population: A 12-Year Follow-Up," *European Journal of Clinical Nutrition* 63, no. 8 (2009): 986–92, doi: 10.1038/ejcn.2009.1. As scientists at Hiroshima University observed in another study: H. Shimokata and F. Kuzuya, "[Aging, basal metabolic rate, and nutrition]," *Nihon Ronen Igakkai Zasshi / Japanese Journal of Geriatrics* 30, no. 7 (1993): 572–6, doi: 10.3143/geriatrics.30.572.

In a study conducted by scientists at Brigham and Women's Hospital: Robert H. Demling and Leslie DeSanti, "Effect of a Hypocaloric Diet, Increased Protein Intake and Resistance Training on Lean Mass Gains and Fat Mass Loss in Overweight Police Officers," *Annals of Nutrition and Metabolism* 44, no. 1 (2000):21–9, doi: 10.1159/000012817.

In an extensive five-year study: Patricia A. Brill et al., "Muscular Strength and Physical Function," *Medicine and Science in Sports and Exercise* 32, no. 2 (2000): 412–16, doi: 10.1097/00005768-200002000-00023.

this greatly reduces the risk of fracture:A. Menkes et al., "Strength Training Increases Regional Bone Mineral Density and Bone

Remodeling in Middle Aged and Older Men," *Journal of Applied Physiology* (1985) 74, no. 5 (1993): 2478–84, doi: 10.1152/jappl.1993.74.5.2478.

Heart health is an essential aspect of longevity: George A. Kelley and Kristi Sharpe Kelley, "Progressive Resistance Exercise and Resting Blood Pressure: A Meta-analysis of Randomized Controlled Trials," *Hypertension* 35, no. 3 (2000):838–43, doi:10.1161/01.hyp.35.3.838; Steven Mann, Christopher Beedie, and Alfonso Jimenez, "Differential Effects of Aerobic Exercise, Resistance Training and Combined Exercise Modalities on Cholesterol and the Lipid Profile: Review, Synthesis, and Recommendations," *Sports Medicine* 44, no. 2 (2014): 211–21, doi: 10.1007/s40279-013-0110-5; Salameh Bweir et al., "Resistance Exercise Training Lowers HbA1c More than Aerobic Training in Adults with Type 2 Diabetes," *Diabetology and Metabolic Syndrome* 1, no. 27 (December 2009), doi: 10.1186/1758-5996-1-27.

strength training combats it by reducing blood sugar levels: Bweir et al., "Resistance Exercise Training Lowers HbA1c."

strength training is as effective: Barbara Strasser, Uwe Siebert, and Wolfgang Schobersberger, "Resistance Training in the Treatment of the Metabolic Syndrome: A Systematic Review and Meta-analysis of the Effect of Resistance Training on Metabolic Clustering in Patients with Abnormal Glucose Metabolism," *Sports Medicine* 40, no. 5 (2010): 397–415, doi: 10.2165/11531380000000000000000000000000; Casey Irvine and Nicholas F. Taylor, "Progressive Resistance Exercise Improves Glycaemic Control in People with Type 2 Diabetes Mellitus: A Systematic Review," *Australian Journal of Physiotherapy* 55, no. 4 (2009): 237–46, doi: 10.1016/s0004-9514(09)70003-0; Neil J. Snowling and Will G. Hopkins, "Effects of Different Modes of Exercise Training on Glucose Control and Risk Factors for



Complications in Type 2 Diabetic Patients: A Meta-analysis," *Diabetes Care* 29, no. 11 (2006): 2518–27, doi: 10.2337/dc06-1317.

In a study conducted at the University of British Columbia: Teresa Liu-Ambrose et al., "Resistance Training and Executive Functions: A 12-Month Randomized Controlled Trial," *Archives of Internal Medicine* 170, no. 2 (2010): 170–8, doi: 10.1001/archinternmed.2009.494.

researchers analyzed these scans: John R. Best et al., "Long-Term Effects of Resistance Exercise Training on Cognition and Brain Volume in Older Women: Results from a Randomized Controlled Trial," *Journal of the International Neuropsychological Society* 21, no. 10 (2015): 745–56, doi: 10.1017/S1355617715000673.

doing both reduces blood pressure the most: Linda S. Pescatello and Jonna M. Kulikowich, "The After Effects of Dynamic Exercise on Ambulatory Blood Pressure," *Medicine and Science in Sports and Exercise* 33, no. 11 (2001): 1855–61, doi: 10.1097/00005768-200111000-00009; Véronique A. Cornelissen and Robert H. Fagard, "Effects of Endurance Training on Blood Pressure, Blood Pressure-Regulating Mechanisms, and Cardiovascular Risk Factors," *Hypertension* 46, no. 4 (2005): 667–75, doi: 10.1161/01.HYP.0000184225.05629.51; Vitor O. Carvalho et al., "Effect of Exercise Training on 24-Hour Ambulatory Blood Pressure Monitoring in Heart Failure Patients," *Congestive Heart Failure* 15, no. 4 (2009): 176–80, doi: 10.1111/j.1751-7133.2009.00093.x; Mireille Marceau et al., "Effects of Different Training Intensities on 24-Hour Blood Pressure in Hypertensive Subjects," *Circulation* 88, no. 6 (1993): 2803–11, doi: 10.1161/01.cir.88.6.2803.

helps keep your arteries flexible and responsive to changes in blood flow: Ammar W. Ashor et al., "Effects of Exercise Modalities on Arterial Stiffness and Wave Reflection: A Systematic Review and

Meta-analysis of Randomized Controlled Trials," *PLoS One* 9, no. 10 e110034 (October 2014), doi: 10.1371/journal.pone.0110034.

people who do the most cardio have the supplest arteries: Giacomo Pucci, Francesca Battista, and Giuseppe Schillaci, "Aerobic Physical Exercise and Arterial De-stiffening: A Recipe for Vascular Rejuvenation," *Hypertension Research* 35, no. 10 (2012): 964–6, doi: 10.1038/hr.2012.107; Hirofumi Tanaka, "Anti-aging Effects of Aerobic Exercise on Systemic Arteries," *Hypertension* 74, no. 2 (2019): 237–243, doi: 10.1161/hypertensionaha.119.13179.

cardio can significantly increase capillary density: Matthew Cocks et al., "Effect of Resistance Training on Microvascular Density and eNOS Content in Skeletal Muscle of Sedentary Men," *Microcirculation* 21, no. 8 (2014): 738–46, doi:10.1111/micc.12155; Matthew Cocks et al., "Sprint Interval and Endurance Training Are Equally Effective in Increasing Muscle Microvascular Density and eNOS Content in Sedentary Males," *Journal of Physiology* 591, no. 3 (2013): 641–56, doi: 10.1113/jphysiol.2012.239566.

Cardio also burns substantially more calories: Joseph E. Donnelly et al., "Aero-bic Exercise Alone Results in Clinically Significant Weight Loss for Men and Women: Midwest Exercise Trial 2," *Obesity* 21, no. 3 (2013): E219–28, doi: 10.1002/oby.20145; Dale A. Schoeller, Kathyjo Shay, and Robert F. Kushner, "How Much Physical Activity Is Needed to Minimize Weight Gain in Previously Obese Women?," *American Journal of Clinical Nutrition* 66, no. 3 (1997): 551–6, doi: 10.1093/ajcn/66.3.551.

those who ate the most protein lost 40 percent less muscle: Denise K. Houston et al., "Dietary Protein Intake Is Associated with Lean Mass Change in Older, Community-Dwelling Adults: The Health, Aging, and Body Composition (Health ABC) Study," *American Journal of Clinical Nutrition* 87, no. 1 (2008): 150–5, doi: 10.1093/



ajcn/87.1.150.

notably less likely to become physically impaired: Nuno Mendonça et al., "Protein Intake and Disability Trajectories in Very Old Adults: The Newcastle 85+ Study," *Journal of the American Geriatrics Society* 67, no. 1 (2019): 50–56, doi: 10.1111/jgs.15592; Adela Hruby et al., "Protein Intake and Functional Integrity in Aging: The Framingham Heart Study Offspring," *Journals of Gerontology: Series A, Biological Sciences and Medical Sciences* 75, no. 1 (2020): 123–130, doi: 10.1093/gerona/gly201.

An extraordinary amount of evidence: Simin Liu et al., "Fruit and Vegetable Intake and Risk of Cardiovascular Disease: The Women's Health Study," *American Journal of Clinical Nutrition* 72, no. 4 (2000): 922–8, doi: 10.1093/ajcn/72.4.922; Gladys Block, Blossom Patterson, and Amy Subar, "Fruit, Vegetables, and Cancer Prevention: A Review of the Epidemiological Evidence," *Nutrition and Cancer* 18, no. 1 (1992): 1–29, doi: 10.1080/01635589209514201; Jian Zhan et al., "Fruit and Vegetable Consumption and Risk of Cardiovascular Disease: A Meta-analysis of Prospective Cohort Studies," *Critical Reviews in Food Science and Nutrition* 57, no. 8 (2017): 1650–1663, doi: 10.1080/10408398.2015.1008980.

A team of scientists from around the world conducted a study: Ashkan Afshin et al., "Health Effects of Dietary Risks in 195 Countries, 1990–2017: A Systematic Analysis for the Global Burden of Disease Study 2017," *Lancet* 393, no. 10184 (2019): 1958–1972, doi: 10.1016/S0140-6736(19)30041-8.

a third of adults over the age of 65 meet the bare minimum requirements: Adam Drewnowski and J. M. Shultz, "Impact of Aging on Eating Behaviors, Food Choices, Nutrition, and Health Status," *Journal of Nutrition, Health and Aging* 5, no. 2 (2001): 75–9, <https://pubmed.us/11426286>; M. K. Serdula et al., "Fruit and Vegetable Intake

among Adults in 16 States: Results of a Brief Telephone Survey," *American Journal of Public Health* 85, no. 2 (1995): 236–9, doi: 10.2105/ajph.85.2.236; Susan M. Krebs-Smith et al., "US Adults' Fruit and Vegetable Intakes, 1989 to 1991: A Revised Baseline for the Healthy People 2000 Objective," *American Journal of Public Health* 85, no. 12 (1995): 1623–9, doi: 10.2105/ajph.85.12.1623.

which aren't necessary for life but are still healthful: Hongwei Si and Dongmin Liu, "Dietary Antiaging Phytochemicals and Mechanisms Associated with Prolonged Survival," *Journal of Nutritional Biochemistry* 25, no. 6 (2014): 581–91, doi: 10.1016/j.jnutbio.2014.02.001.

fantastic for controlling calorie intake and avoiding chronic hunger or cravings: Monica Nour et al., "The Relationship between Vegetable Intake and Weight Outcomes: A Systematic Review of Cohort Studies," *Nutrients* 10, no. 11 (November 2018): 1626, doi: 10.3390/nu10111626.

Studies have shown repeatedly: Nour et al., "The Relationship between Vegetable Intake and Weight Outcomes"; Stephan J. Guyenet, "Impact of Whole, Fresh Fruit Consumption on Energy Intake and Adiposity: A Systematic Review," *Frontiers in Nutrition* 6, no. 66 (May 2019), doi: 10.3389/fnut.2019.00066.

how full we feel after a meal is affected more by volume: Barbara J. Rolls, Adam Drewnowski, and Jenny H. Ledikwe, "Changing the Energy Density of the Diet as a Strategy for Weight Management," *Journal of the American Dietetic Association* 105, no. 5 Suppl 1 (2005): S98–103, doi: 10.1016/j.jada.2005.02.033.

It improves fat loss, muscle growth, immunity, telomere length, and cognition: Arlet V. Nedeltcheva et al., "Insufficient Sleep Undermines Dietary Efforts to Reduce Adiposity," *Annals of Internal Medicine*



153, no. 7 (2010): 435–41, doi: 10.7326/0003-4819-153-7-201010050-00006; Murilo Dattilo et al., “Sleep and Muscle Recovery: Endocrinological and Molecular Basis for a New and Promising Hypothesis,” *Medical Hypotheses* 77, no. 2 (2011): 220–2, doi: 10.1016/j.mehy.2011.04.017; Sheldon Cohen et al., “Sleep Habits and Susceptibility to the Common Cold,” *Archives of Internal Medicine* 169, no. 1 (2009): 62–7, doi: 10.1001/archinternmed.2008.505; Marta Jackowska et al., “Short Sleep Duration Is Associated with Shorter Telomere Length in Healthy Men: Findings from the Whitehall II Cohort Study,” *PloS One* 7, no. 10 (2012): e47292, doi:10.1371/journal.pone.0047292; Paula Alhola and Päivi Polo-Kantola, “Sleep Deprivation: Impact on Cognitive Performance,” *Neuropsychiatric Disease and Treatment* 3, no. 5 (2007): 553–67, <https://pubmed.us/19300585>; Tina Sundelin et al., “Negative Effects of Restricted Sleep on Facial Appearance and Social Appeal,” *Royal Society Open Science* 4, no. 5 (May 2017): 160918, doi: 10.1098/rsos.160918.

increases your risk of just about every disease: Guglielmo Beccuti and Silvana Pannain, “Sleep and Obesity,” *Current Opinion in Clinical Nutrition and Metabolic Care* 14, no. 4 (2011): 402–12, doi: 10.1097/MCO.0b013e3283479109; Christopher B. Cooper et al., “Sleep Deprivation and Obesity in Adults: A Brief Narrative Review,” *BMJ Open Sport and Exercise Medicine* 4, no. 1 (October 2018): e000392, doi: 10.1136/bmjsem-2018-000392; Kristen L. Knutson and Eve Van Cauter, “Associations between Sleep Loss and Increased Risk of Obesity and Diabetes,” *Annals of the New York Academy of Sciences* 1129 (2008): 287–304, doi: 10.1196/annals.1417.033; Adam P. Spira et al., “Impact of Sleep on the Risk of Cognitive Decline and Dementia,” *Current Opinion in Psychiatry* 27, no. 6 (2014): 478–83, doi: 10.1097/YCO.000000000000106; Janet M. Mullington et al., “Cardiovascular, Inflammatory, and Metabolic Consequences of Sleep Deprivation,” *Progress in Cardiovascular Diseases* 51, no. 4

(2009): 294–302, doi:10.1016/j.pcad.2008.10.003; Yuheng Chen et al., “Sleep Duration and the Risk of Cancer: A Systematic Review and Meta-analysis Including Dose-Response Relationship,” *BMC Cancer* 18, no. 1 (November 2018): 1149, doi: 10.1186/s12885-018-5025-y; Aric A. Prather et al., “Behaviorally Assessed Sleep and Susceptibility to the Common Cold,” *Sleep* 38, no. 9 (September 2015): 1353–9, doi: 10.5665/sleep.4968.

most of us need 7 to 9 hours of sleep: Michael A. Grandner, “Sleep Duration across the Lifespan: Implications for Health,” *Sleep Medicine Reviews* 16, no. 3 (2012): 199–201, doi: 10.1016/j.smrv.2012.02.001.

While there is a tiny fraction of the population: Amita Sehgal and Emmanuel Mignot, “Genetics of Sleep and Sleep Disorders,” *Cell* 146, no. 2 (2011): 194–207, doi: 10.1016/j.cell.2011.07.004.

proven to enhance muscle and strength gain: Robert Cooper et al., “Creatine Sup-plementation with Specific View to Exercise/Sports Performance: An Update,” *Journal of the International Society of Sports Nutrition* 9, no. 1 (July 2012): 33, doi: 10.1186/1550-2783-9-33.

may also improve cognition in older people: Terry McMorris et al., “Creatine Supplementation and Cognitive Performance in Elderly Individuals,” *Neuropsychology, Development, and Cognition: Section B, Aging, Neuropsychology, and Cognition* 14, no. 5 (2007): 517–28, doi: 10.1080/13825580600788100.

most people don’t get enough of these nutrients: P. M. Kris-Etherton et al., “Poly-unsaturated Fatty Acids in the Food Chain in the United States,” *American Journal of Clinical Nutrition* 71, no. 1 Suppl (2000): 179S–88S, doi: 10.1093/ajcn/71.1.179S; Alessio Molino et al., “The Role for Dietary Omega-3 Fatty Acids Supplementation



in Older Adults,” *Nutrients* 6, no. 10 (October 2014): 4058–73, doi:10.3390/nu6104058; Charles Couet et al., “Effect of Dietary Fish Oil on Body Fat Mass and Basal Fat Oxidation in Healthy Adults,” *International Journal of Obesity and Related Metabolic Disorders* 21, no. 8 (1997): 637–43, doi: 10.1038/sj.ijo.0800451; Gordon I. Smith et al., “Omega-3 Polyunsaturated Fatty Acids Augment the Muscle Protein Anabolic Response to Hyperinsulinaemia-Hyperaminoacidaemia in Healthy Young and Middle-Aged Men and Women,” *Clinical Science* 121, no. 6 (2011): 267–78, doi: 10.1042/CS20100597.

05 如何掌控健身的「內心比賽」

A study conducted by scientists at the University of Pennsylvania: Christopher N. Cascio et al., “Self-affirmation Activates Brain Systems Associated with Self-Related Processing and Reward and Is Reinforced by Future Orientation,” *Social Cognitive and Affective Neuroscience* 11, no. 4 (2016): 621–29, doi: 10.1093/scan/nsv136; Philine S. Harris et al., “Self-Affirmation Improves Performance on Tasks Related to Executive Functioning,” *Journal of Experimental Social Psychology* 70 (2017): 281–85, doi: 10.1016/j.jesp.2016.11.011.

According to research conducted by scientists at Stanford University: Christopher D. Gardner et al., “Effect of Low-Fat vs Low-Carbohydrate Diet on 12-Month Weight Loss in Overweight Adults and the Association with Genotype Pattern or Insulin Secretion: The DIETFITS Randomized Clinical Trial,” *JAMA* 319, no. 7 (2018): 667–79, doi: 10.1001/jama.2018.0245.

this type of response in times of frustration and failure: Michael Wohl et al., “I Forgive Myself, Now I Can Study: How Self-Forgiveness for Procrastinating Can Reduce Future Procrastination,” *Personality and Individual Differences* 48, no.7(2010): 803–8, doi:

10.1016/j.paid.2010.01.029; Mark R. Leary et al., “Self-Compassion and Reactions to Unpleasant Self-Relevant Events: The Implications of Treating Oneself Kindly,” *Journal of Personality and Social Psychology* 92, no. 5(2007): 887–904, doi: 10.1037/0022-3514.92.5.887; Ashley Batts Allen and Mark R. Leary, “Self-Compassion, Stress, and Coping,” *Social and Personality Psychology Compass* 4, no. 2 (2010): 107–18, doi: 10.1111/j.17519004.2009.00246.x; Sarah Milne, Sheina Orbell, and Paschal Sheeran, “Combining Motivational and Volitional Interventions to Promote Exercise Participation: Protection Motivation Theory and Implementation Intentions,” *British Journal of Health Psychology* 7, pt. 2 (2002): 163–84, doi: 10.1348/135910702169420.

it can increase your motivation to overcome obstacles: Andreas Kappes, Henrik Singmann, and Gabriele Oettingen, “Mental Contrasting Instigates Goal Pursuit by Linking Obstacles of Reality with Instrumental Behavior,” *Journal of Experimental Social Psychology* 48, no. 4 (2012), 811–18, doi:10.1016/j.jesp.2012.02.002.

06 身體組成最重要：增肌減脂的四個步驟

the math behind the body mass index (BMI): Eugenia Cheng, “Weight Loss Is Harder than Rocket Science,” *Wall Street Journal* website, January 30, 2020, <https://www.wsj.com/articles/weight-loss-is-harder-than-rocket-science-11580396067>.

there are many people who have a “normal weight” BMI: A. Janet Tomiyama et al., “Misclassification of Cardiometabolic Health When Using Body Mass Index Categories in NHANES 2005–2012,” *International Journal of Obesity* 40, no. 5 (2016): 883–86, doi: 10.1038/ijo.2016.17.

Mark Haub . . . who lost 27 pounds in ten weeks eating Hostess cupcakes: Madison Park, “Twinkie Diet Helps Nutrition Professor



Lose 27 Pounds," CNN online, November 8, 2010, <http://www.cnn.com/2010/HEALTH/11/08/twinkie.diet.professor/index.html>.

John Cisna, who lost 56 pounds in six months eating nothing but McDonald's: Hayley Peterson, "A teacher Who Lost 56 Pounds Eating Only McDonald's Is Starring in a Documentary to Show Kids about 'Healthy' Eating," Business Insider website, October 13, 2015, <https://www.businessinsider.com/how-to-lose-weight-eating-only-mcdonalds-2015-10>.

Kai Sedgwick, who got into the best shape of his life: Emma Innes, "Fitness fanatic Claims to Be in the Best Shape of His Life Despite Only Eating MCDONALD'S for a Month," Daily Mail website, May 30, 2014, <https://www.dailymail.co.uk/health/article-2643936/Fitness-fanatic-claims-best-shape-life-despite-ONLY-eating-McDonalds.html>.

dozens of studies that have found no difference in weight or fat loss between low- and high-carb and low- and high-sugar diets: Carol S. Johnston et al., "Ketogenic Low-Carbohydrate Diets Have No Metabolic Advantage over Nonketogenic Low-Carbohydrate Diets," *American Journal of Clinical Nutrition* 83, no. 5(2006): 1055–61, doi: 10.1093/ajcn/83.5.1055; Shane A. Phillips et al., "Benefit of Low-Fat over Low-Carbohydrate Diet on Endothelial Health in Obesity," *Hypertension* 51, no. 2 (2008): 376–82, doi: 10.1161/hypertensionaha.107.101824; Frank M. Sacks et al., "Comparison of Weight-Loss Diets with Different Compositions of Fat, Protein, and Carbohydrates," *New England Journal of Medicine* 360, no. 9 (2009): 859–73, doi: 10.1056/NEJMoa0804748; Christopher D. Gardner et al., "Effect of Low-Fat vs Low-Carbohydrate Diet on 12-Month Weight Loss in Overweight Adults and the Association with Genotype Pattern or Insulin Secretion: The DIETFITS Randomized Clinical Trial," *JAMA* 319, no. 7 (2018): 667–79, doi: 10.1001/jama.2018.0245; Richard S. Surwit et al., "Metabolic and

Behavioral Effects of a High-Sucrose Diet during Weight Loss," *American Journal of Clinical Nutrition* 65, no. 4 (1997): 908–15, doi: 10.1093/ajcn/65.4.908; J. A. West and Anne de Looy, "Weight Loss in Overweight Subjects Following Low-Sucrose or Sucrose-Containing Diets," *International Journal of Obesity and Related Metabolic Disorders* 25, no. 8 (2001): 1122–28, doi: 10.1038/sj.ijo.0801652.

meaningful weight loss requires energy expenditure to exceed energy intake: Isabelle Romieu et al., "Energy Balance and Obesity: What Are the Main Drivers?," *Cancer Causes and Control* 28, no. 3 (2017): 247–58, doi: 10.1007/s10552-017-0869-z; Kevin D. Hall et al., "Energy Balance and Its Components: Implications for Body Weight Regulation," *American Journal of Clinical Nutrition* 95, no. 4 (2012): 989–94, doi: 10.3945/ajcn.112.036350; Michael E. J. Lean, Arne Astrup, and Susan B. Roberts, "Making Progress on the Global Crisis of Obesity and Weight Management," *BMJ* 361 (June 2018): k2538, doi: 10.1136/bmj.k2538; James O. Hill, Holly R. Wyatt, and John C. Peters, "Energy Balance and Obesity," *Circulation* 126, no. 1 (2012): 126–32, doi: 10.1161/circulationaha.111.087213.

these outcomes have been demonstrated with many diets: Carol S. Johnston et al., "Ketogenic Low-Carbohydrate Diets Have No Metabolic Advantage over Nonketogenic Low-Carbohydrate Diets," *American Journal of Clinical Nutrition* 83, no. 5 (2006): 1055–61, doi: 10.1093/ajcn/83.5.1055; Iris Shai et al., "Weight Loss with a Low-Carbohydrate, Mediterranean, or Low-Fat Diet," *New England Journal of Medicine* 359, no. 3 (2008): 229–41, doi: 10.1056/NEJMoa0708681; Kate Jolly et al., "Comparison of Range of Commercial or Primary Care Led Weight Reduction Programmes with Minimal Intervention Control for Weight Loss in Obesity: Lighten Up Randomised Controlled Trial," *BMJ* 343 (November 2011): d6500, doi: 10.1136/bmj.d6500; Deirdre K. Tobias et al., "Effect



of Low-Fat Diet Interventions versus Other Diet Interventions on Long-Term Weight Change in Adults: A Systematic Review and Meta-analysis," *Lancet Diabetes and Endocrinology* 3, no. 12 (2015): 968–79, doi: 10.1016/S2213-8587(15)00367-8; Arne Astrup et al., "The Role of Low-Fat Diets in Body Weight Control: A Meta-analysis of Ad Libitum Dietary Intervention Studies," *International Journal of Obesity and Related Metabolic Disorders* 24, no. 12 (2000): 1545–52, doi: 10.1038/sj.ijo.0801453; Jayson B. Calton, "Prevalence of Micronutrient Deficiency in Popular Diet Plans," *Journal of the International Society of Sports Nutrition* 7, no. 24 (June 2010), doi: 10.1186/1550-2783-7-24; Staffan Lindeberg et al., "A Palaeolithic Diet Improves Glucose Tolerance More Than a Mediterranean-Like Diet in Individuals with Ischaemic Heart Disease," *Diabetologia* 50, no. 9 (2007): 1795–1807, doi: 10.1007/s00125-007-0716-y; Suruchi Mishra et al., "A Multicenter Randomized Controlled Trial of a Plant-Based Nutrition Program to Reduce Body Weight and Cardiovascular Risk in the Corporate Setting: The GEICO Study," *European Journal of Clinical Nutrition* 67, no. 7 (2013): 718–24, doi: 10.1038/ejcn.2013.92.

it could easily be 1,200, 1,500, or more: Steven W Lichtman et al., "Discrepancy between Self-Reported and Actual Caloric Intake and Exercise in Obese Subjects," *New England Journal of Medicine* 327, no. 27 (1992): 1893–98, doi: 10.1056/NEJM199212313272701; Danit R. Shahar et al., "Misreporting of Energy Intake in the Elderly Using Doubly Labeled Water to Measure Total Energy Expenditure and Weight Change," *Journal of the American College of Nutrition* 29, no. 1 (2010): 14–24, doi: 10.1080/07315724.2010.10719812.

In a study conducted by scientists at York University: Ruth E. Brown et al., "Calorie Estimation in Adults Differing in Body Weight Class and Weight Loss Status," *Medicine and Science in Sports and Exercise* 48, no. 3 (2016): 521–26, doi: 10.1249/

MSS.0000000000000796.

energy balance works the same in the lean and the obese: Eric R. Helms, Alan A. Aragon, and Peter J. Fitschen, "Evidence-Based Recommendations for Natural Bodybuilding Contest Preparation: Nutrition and Supplementation," *Journal of the International Society of Sports Nutrition* 11, no. 20 (May 2014), doi: 10.1186/1550-2783-11-20; Gilbert B. Forbes, "Body Fat Content Influences the Body Composition Response to Nutrition and Exercise," *Annals of the New York Academy of Sciences* 904, no. 1 (2000): 359–65. doi: 10.1111/j.1749-6632.2000.tb06482.x; Karen E. Foster-Schubert et al., "Effect of Diet and Exercise, Alone or Combined, on Weight and Body Composition in Overweight-to-Obese Postmenopausal Women," *Obesity* 20, no. 8 (2012): 1628–38, doi: 10.1038/oby.2011.76; Sarah Steven et al., "Very Low-Calorie Diet and 6 Months of Weight Stability in Type 2 Diabetes: Pathophysiological Changes in Responders and Nonresponders," *Diabetes Care* 39, no. 5 (2016): 808–15, doi: 10.2337/dc15-1942; Monica C. Serra et al., "Effects of a Hypocaloric, Nutritionally Complete, Higher Protein Meal Plan on Regional Body Fat and Cardiometabolic Biomarkers in Older Adults with Obesity," *Annals of Nutrition and Metabolism* 74, no. 2 (2019): 149–55, doi: 10.1159/000497066.

you also impair your body's ability to build muscle: Christina I. Zito et al., "SHP-2 Regulates Cell Growth by Controlling the mTOR/S6 Kinase 1 Pathway," *Journal of Biological Chemistry* 282, no. 10 (2007): 6946–53, doi: 10.1074/jbc.M608338200; Roberto Cangemi et al., "Long-Term Effects of Calorie Restriction on Serum Sex-Hormone Concentrations in Men," *Aging Cell* 9, no. 2 (2010): 236–42, doi: 10.1111/j.1474-9726.2010.00553.x; A. Janet Tomiyama et al., "Low Calorie Dieting Increases Cortisol," *Psychosomatic Medicine* 72, no. 4 (2010): 357–64, doi: 10.1097/PSY.0b013e3181d9523c.

people who eat more protein: N. Santesso et al., "Effects of Higher-



versus Lower- Protein Diets on Health Outcomes: A Systematic Review and Meta-analysis," *European Journal of Clinical Nutrition* 66, no. 7 (2012): 780–88, doi: 10.1038 /ejcn.2012.37.

Lose fat faster: Ellen M. Evans et al., "Effects of Protein Intake and Gender on Body Composition Changes: A Randomized Clinical Weight Loss Trial," *Nutrition and Metabolism* 9, no. 1 (June 2012): 55, doi: 10.1186/1743-7075 -9-55.

Gain more muscle: Eric R. Helms, Alan A. Aragon, and Peter J. Fitschen, "Evidence-Based Recommendations for Natural Bodybuilding Contest Preparation: Nutrition and Supplementation," *Journal of the International Society of Sports Nutrition* 11, no. 20 (May 2014), doi: 10.1186/1550-2783-11-20.

Burn more calories: Klaas R. Westerterp, "Diet Induced Thermogenesis," *Nutrition and Metabolism* 1, no. 1 (August 2004): 5, doi: 10.1186/1743-7075-1-5.

Experience less hunger: Douglas Paddon-Jones et al., "Protein, Weight Management, and Satiety," *American Journal of Clinical Nutrition* 87, no. 5 (2008): 1558S–1561S, doi: 10.1093/ajcn/87.5.1558S.

Have stronger bones: Wayne W. Campbell and Minghua Tang, "Protein Intake, Weight Loss, and Bone Mineral Density in Postmenopausal Women," *Journals of Gerontology: Series A, Biological Sciences and Medical Sciences* 65, no. 10 (2010): 1115–22, doi: 10.1093/gerona/gdq083.

Enjoy better moods: Eric R. Helms, Alan A. Aragon, and Peter J. Fitschen, "Evidence-Based Recommendations for Natural Bodybuilding Contest Preparation: Nutrition and Supplementation," *Journal of the International Society of Sports Nutrition* 11, no. 20 (May 2014), doi: 10.1186/1550-2783-11-20.

working out increases your body's need for amino acids: Stuart M. Phillips and Luc J. C. Van Loon, "Dietary Protein for Athletes: From Requirements to Optimum Adaptation," *Journal of Sports Sciences* 29, Suppl 1 (2011): S29–S38, doi: 10.1080/02640414.2011.619204.

it helps preserve lean mass while dieting: James W. Krieger et al., "Effects of Variation in Protein and Carbohydrate Intake on Body Mass and Composition during Energy Restriction: A Meta-Regression," *American Journal of Clinical Nutrition* 83, no. 2 (2006): 260–74, doi: 10.1093/ajcn/83.2.260.

mice burn about seven times more calories per pound of body weight than humans: A. H. Terpstra, "Differences between Humans and Mice in Efficacy of the Body Fat Lowering Effect of Conjugated Linoleic Acid: Role of Metabolic Rate," *Journal of Nutrition* 131, no. 7 (2001): 2067–68, doi: 10.1093/jn/131.7.2067.

statistical models developed by scientists at Texas A&M: Carlos A. Silva and Kalyan Annamalai, "Entropy Generation and Human Aging: Lifespan Entropy and Effect of Diet Composition and Caloric Restriction Diets," *Journal of Thermodynamics* (2009): 1–10, doi: 10.1155/2009/186723.

low-protein dieting is associated with a higher incidence of muscle loss: Jane E. Kerstetter, Anne M. Kenny, and Karl L. Insogna, "Dietary Protein and Skeletal Health: A Review of Recent Human Research," *Current Opinion in Lipidology* 22, no. 1 (2011): 16–20, doi: 10.1097/MOL.0b013e3283419441; Rachel R. Deer and Elena Volpi, "Protein Intake and Muscle Function in Older Adults," *Current Opinion in Clinical Nutrition and Metabolic Care* 18, no. 3 (2015): 248–53, doi:10.1097/MCO.000000000000162; Bernhard Franzke et al., "Dietary Protein, Muscle and Physical Function in the Very Old," *Nutrients* 10, no. 7 (July 2018): 935, doi: 10.3390/nu10070935; Hélio J. Coelho-Júnior et al., "Protein-Related Dietary Parameters and Frailty



Status in Older Community-Dwellers across Different Frailty Instruments,” *Nutrients* 12, no. 2 (February 2020): 508, doi: 10.3390/nu12020508.

the mineral zinc, which is abundant in foods like beef, seeds, and legumes: Eric R. Helms, Alan A. Aragon, and Peter J. Fitschen, “Evidence-Based Recommendations for Natural Bodybuilding Contest Preparation: Nutrition and Supplementation,” *Journal of the International Society of Sports Nutrition* 11, no. 20 (May 2014), doi: 10.1186/1550-2783-11-20.

In a case study conducted by scientists at the University of Massachusetts: Christy Maxwell and Stella Lucia Volpe, “Effect of Zinc Supplementation on Thyroid Hormone Function: A Case Study of Two College Females,” *Annals of Nutrition and Metabolism* 51, no. 2 (2007): 188–94, doi: 10.1159/000103324.

Whole-grain bread with less-processed (cheddar) cheese has a TEF: Sadie B. Barr and Jonathan C. Wright, “Postprandial Energy Expenditure in Whole-Food and Processed-Food Meals: Implications for Daily Energy Expenditure,” *Food and Nutrition Research* 54 (July 2010), doi: 10.3402/fnr.v54i0.5144.

a slice of white bread with highly processed (American) cheese has a TEF: Barr and Wright, “Postprandial Energy Expenditure.”

Eating enough fiber reduces the risk of many types of disease: Yikyung Park et al., “Dietary Fiber Intake and Mortality in the NIH-AARP Diet and Health Study,” *Archives of Internal Medicine* 171, no. 12 (2011): 1061–68, doi: 10.1001/archinternmed.2011.18; Marc P. McRae, “Dietary Fiber Intake and Type 2 Diabetes Mellitus: An Umbrella Review of Meta-Analyses,” *Journal of Chiropractic Medicine* 17, no. 1 (2018): 44–53, doi: 10.1016/j.jcm.2017.11.002.

children and adults consume 14 grams of fiber for every 1,000

calories: Wendy J. Dahl and Maria L. Stewart, “Position of the Academy of Nutrition and Dietetics: Health Implications of Dietary Fiber,” *Journal of the Academy of Nutrition and Dietetics* 115, no. 11 (2015): 1861–70, doi: 10.1016/j.jand.2015.09.003.

This helps explain why there’s an association: Rachel K. Johnson et al., “Dietary Sugars Intake and Cardiovascular Health: A Scientific Statement from the American Heart Association,” *Circulation* 120, no. 11 (2009): 1011–20, doi:10.1161/circulationaha.109.192627; Kelly D. Brownell et al., “The Public Health and Economic Benefits of Taxing Sugar-Sweetened Beverages,” *New England Journal of Medicine* 361, no. 16 (2009): 1599–1605, doi: 10.1056/NEJMhpr0905723. those associated with health benefits like whole grains, fruit, vegetables, and legumes: Sonia S. Anand et al., “Food Consumption and Its Impact on Cardiovascular Disease: Importance of Solutions Focused on the Globalized Food System: A Report from the Workshop Convened by the World Heart Federation,” *Journal of the American College of Cardiology* 66, no. 14 (2015): 1590–1614, doi: 10.1016/j.jacc.2015.07.050.

this inhibits workout performance: Pim Knuiman, Maria T. E. Hopman, and Marco Mensink, “Glycogen Availability and Skeletal Muscle Adaptations with Endurance and Resistance Exercise,” *Nutrition and Metabolism* 12, no.59 (December 2015), doi: 10.1186/s12986-015-0055-9; Louise M. Burke et al., “Carbohydrates for Training and Competition,” *Journal of Sports Sciences* 29, Suppl 1 (2011): S17–S27, doi: 10.1080/02640414.2011.585473; Andrew Creer et al., “Influence of Muscle Glycogen Availability on ERK1/2 and Akt Signaling after Resistance Exercise in Human Skeletal Muscle,” *Journal of Applied Physiology* (1985) 99, no. 3 (2005): 950–56, doi: 10.1152/jappphysiol.00110.2005.

restricting your carbs also raises your cortisol and lowers your testosterone: Amy R. Lane, Joseph W. Duke, and Anthony C.



Hackney, "Influence of Dietary Carbohydrate Intake on the Free Testosterone: Cortisol Ratio Responses to Short-Term Intensive Exercise Training," *European Journal of Applied Physiology* 108, no. 6 (2010): 1125–31, doi: 10.1007/s00421-009-1220-5.

athletes who eat low-carb diets recover more slowly: Lyonel Benjamin, Peter Blan-pied, and Linda Lamont, "Dietary Carbohydrate and Protein Manipulation and Exercise Recovery in Novice Weight-Lifters," *Journal of Exercise Physiology* 12, no. 6 (2009): 33–39, https://www.researchgate.net/publication/258242414_Dietary_carbohydrate_and_protein_manipulation_and_exercise_recovery_in_novice_weight-lifters; Krista R. Howarth et al., "Effect of Glycogen Availability on Human Skeletal Muscle Protein Turnover during Exercise and Recovery," *Journal of Applied Physiology* 109, no. 2 (2010): 431–38, doi: 10.1152/jappphysiol.00108.2009.

a weak albeit consistent correlation between high saturated fat intake and heart disease: Joyce Nettleton et al., "Saturated Fat Consumption and Risk of Coronary Heart Disease and Ischemic Stroke: A Science Update," *Annals of Nutrition and Metabolism* 70, no. 1 (2017): 26–33, doi: 10.1159/000455681; Mark Houston, "The Relationship of Saturated Fats and Coronary Heart Disease: Fact or Fiction? A Commentary," *Therapeutic Advances in Cardiovascular Disease* 12, no. 2 (2018): 33–37, doi: 10.1177/1753944717742549; Jan I. Pedersen et al., "The Importance of Reducing SFA to Limit CHD," *British Journal of Nutrition* 106, no. 7 (2011): 961–63 doi: 10.1017/S000711451100506X; Daan Kromhout et al., "The Confusion about Dietary Fatty Acids Recommendations for CHD Prevention," *British Journal of Nutrition* 106, no. 5 (2011): 627–32, doi: 10.1017/S0007114511002236.

we should follow the generally accepted dietary guidelines: Houston, "The Relationship of Saturated Fats."

it can reduce the risk of heart disease: Lukas Schwingshackl and Georg Hoffmann, "Monounsaturated Fatty Acids, Olive Oil and Health Status: A Systematic Review and Meta-analysis of Cohort Studies," *Lipids in Health and Disease* 13, no. 1 (2014): 154, doi: 10.1186/1476-511X-13-154; Francesco Sofi et al., "Accruing Evidence on Benefits of Adherence to the Mediterranean Diet on Health: An Updated Systematic Review and Meta-analysis," *American Journal of Clinical Nutrition* 92, no. 5 (2010): 1189–96, doi: 10.3945/ajcn.2010.29673.

the absolute amount of omega-3 fatty acids in the diet may be more important: Penny M. Kris-Etherton et al., "Polyunsaturated Fatty Acids in the Food Chain in the United States," *American Journal of Clinical Nutrition* 71, no. 1 (2000): 179S–188S, doi: 10.1093/ajcn/71.1.179S.

high levels of LDL in your blood can lead to an accumulation of fat in your arteries: Brian A. Ference et al., "Low-density Lipoproteins Cause Atherosclerotic Cardiovascular Disease. 1. Evidence from Genetic, Epidemiologic, and Clinical Studies. A Consensus Statement from the European Atherosclerosis Society Consensus Panel," *European Heart Journal* 38, no. 31 (2017): 2459–72, doi: 10.1093/eurheartj/ehx144.

food that can raise LDL levels . . . is considered bad for your heart: Sonia S. Anand et al., "Food Consumption and Its Impact on Cardiovascular Disease: Importance of Solutions Focused on the Globalized Food System: A Report from the Workshop Convened by the World Heart Federation," *Journal of the American College of Cardiology* 66, no. 14 (2015): 1590–1614, doi: 10.1016/j.jacc.2015.07.050; Taraka Vijay Gadiraju et al., "Fried Food Consumption and Cardiovascular Health: A Review of Current Evidence," *Nutrients* 7, no. 10 (2015): 8424–30, doi: 10.3390/nu7105404.



you want to ensure that your LDL levels aren't too high: "HDL: The Good, but Complex, Cholesterol," Harvard Health website, last modified August 6, 2019, https://www.health.harvard.edu/newsletter_article/hdl-the-good-but-complex-cholesterol.

eating low-cholesterol foods and avoiding saturated fat won't cut it: Bradley C. Johnston et al., "Unprocessed Red Meat and Processed Meat Consumption: Dietary Guideline Recommendations from the Nutritional Recommendations (NutriRECS) Consortium," *Annals of Internal Medicine* 171, no. 10 (2019): 756, doi: 10.7326/M19-1621; Julie Hjerpsted et al., "Cheese Intake in Large Amounts Lowers LDL-Cholesterol Concentrations Compared with Butter Intake of Equal Fat Content," *American Journal of Clinical Nutrition* 94, no. 6 (2011): 1479–84, doi: 10.3945/ajcn.111.022426.

Exercising regularly (especially intense exercise, including strength training): Carl J. Lavie et al., "Exercise and the Cardiovascular System: Clinical Science and Cardiovascular Outcomes," *Circulation Research* 117, no. 2 (2015): 207–19, doi: 10.1161/circresaha.117.305205; Steven Mann et al., "Differential Effect of Aerobic Exercise, Resistance Training, and Combined Exercise Modalities on Cholesterol and the Lipid Profile: Review, Synthesis, and Recommendations," *Sports Medicine* 44, no. 2 (2014): 211–21, doi: 10.1007/s40279-013-0110-5.

Maintaining healthy body fat levels: Michael L. Dansinger et al., "Comparison of the Atkins, Ornish, Weight Watchers, and Zone Diets for Weight Loss and Heart Disease Risk Reduction: A Randomized Trial," *JAMA* 293, no. 1 (2005): 43–53, doi: 10.1016/j.accreview.2005.02.079; Paul T. Williams et al., "The Effects of Weight Loss by Exercise or by Dieting on Plasma High-Density Lipoprotein (HDL) Levels in Men with Low, Intermediate, and Normal-to-High HDL at Baseline," *Metabolism* 43, no. 7 (1994): 917–24, <https://pubmed.us/8028519>.

Getting enough sleep: Yoshitaka Kaneita et al., "Associations of Usual Sleep Duration with Serum Lipid and Lipoprotein Levels," *Sleep* 31, no. 5 (2008):645–52, doi: 10.1093/sleep/31.5.645; Matthew S. Mosca and Brooke Aggarwal, "Sleep Duration, Snoring Habits, and Cardiovascular Disease Risk Factors in an Ethnically Diverse Population," *Journal of Cardiovascular Nursing* 27, no. 4 (2012): 263–69, doi: 10.1097/JCN.0b013e31821e7ad1.

Not smoking: Sara C. Campbell et al., "Smoking and Smoking Cessation—the Relationship between Cardiovascular Disease and Lipoprotein Metabolism: A Review," *Atherosclerosis* 201, no. 2 (2008): 225–35, doi: 10.1016/j.atherosclerosis.2008.04.046; How Tobacco Smoke Causes Disease The Bi-ology and Behavioral Basis for Smoking-Attributable Disease: A Report of the Surgeon General (Rockville, MD: US Department of Health and Human Services, Public Health Service, Office of the Surgeon General, 2010), 351–409, https://www.ncbi.nlm.nih.gov/books/NBK53017/pdf/Bookshelf_NBK_53017.pdf.

exercise alone can neutralize at least some of the downsides: Luigi Fontana et al., "Long-Term Low-Calorie Low-Protein Vegan Diet and Endurance Exercise Are Associated with Low Cardiometabolic Risk," *Rejuvenation Research* 10, no. 2 (2007): 225–34, doi: 10.1089/rej.2006.0529.

07 歡迎來到全世界最簡單的飲食計畫

you can maintain a calorie deficit large enough to produce rapid fat loss: Ina Garthe et al., "Effect of Two Different Weight-Loss Rates on Body Composition and Strength and Power-Related Performance in Elite Athletes," *International Journal of Sport Nutrition and Exercise Metabolism* 21, no. 2 (2011): 97–104, doi: 10.1123/ijsnem.21.2.97.



A study conducted by scientists at Finland's University of Jyväskylä: Heikki T. Huovinen et al., "Body Composition and Power Performance Improved after Weight Reduction in Male Athletes without Hampering Hormonal Balance," *Journal of Strength and Conditioning Research* 29, no. 1 (2015): 29–36, doi: 10.1519/JSC.0000000000000619.

the less body fat you have, the more susceptible you are to losing muscle: Gilbert B. Forbes, "Body Fat Content Influences the Body Composition Response to Nutrition and Exercise," *Annals of the New York Academy of Sciences* 904 (2000): 359–65, doi: 10.1111/j.1749-6632.2000.tb06482.x.

Other studies on calorie restriction: J. E. Donnelly et al., "Muscle Hypertrophy with Large-Scale Weight Loss and Resistance Training," *American Journal of Clinical Nutrition* 58, no. 4 (1993): 561–65, doi: 10.1093/ajcn/58.4.561.

this point of diminishing returns is somewhere around 110 percent: Juma Iraki et al., "Nutrition Recommendations for Bodybuilders in the Off-Season: A Narrative Review," *Sports (Basel)* 7, no. 7 (2019): 154, doi: 10.3390/sports7070154; Ina Garthe et al., "Effect of Nutritional Intervention on Body Composition and Performance in Elite Athletes," *European Journal of Sports Science* 13, no. 3 (2013): 295–303, doi: 10.1080/17461391.2011.643923.

a fantastic summary of the literature was coauthored by my friend Dr. Eric Helms: Eric R. Helms, Alan A. Aragon, and Peter J. Fitschen, "Evidence-Based Recommendations for Natural Bodybuilding Contest Preparation: Nutrition and Supplementation," *Journal of the International Society of Sports Nutrition* 11, no. 20 (May 2014), doi: 10.1186/1550-2783-11-20.

they're usually less wholesome than and don't trigger satiety as

effectively as food: Richard D. Mattes, RD, and Wayne W. Campbell, "Effects of Food Form and Timing of Ingestion on Appetite and Energy Intake in Lean Young Adults and in Young Adults with Obesity," *Journal of the American Dietetic Association* 109, no. 3 (2009): 430–37, doi: 10.1016/j.jada.2008.11.031.

people who drink calories are much more likely to overeat: David B. Allison, "Liquid Calories, Energy Compensation, and Weight: What We Know and What We Still Need to Learn," *British Journal of Nutrition* 111, no. 3 (2014): 384–86, doi: 10.1017/S0007114513003309.

a clear association between a greater intake of sugar-sweetened beverages and weight gain: Allison, "Liquid Calories"; Vasanti S. Malik et al., "Intake of Sugar-Sweetened Beverages and Weight Gain: A Systematic Review," *American Journal of Clinical Nutrition* 84, no. 2 (2006): 274–88, doi: 10.1093/ajcn/84.1.274.

dehydration impairs cognition and endurance: Ana Adan, "Cognitive Performance and Dehydration," *Journal of the American College of Nutrition* 31, no. 2 (2012): 71–78, doi: 10.1080/07315724.2012.10720011; Serge P. Von Duvillard et al., "Fluids and Hydration in Prolonged Endurance Performance," *Nutrition* 20, no. 7–8 (2004): 651–56, doi: 10.1016/j.nut.2004.04.011; Kentaro Murakami et al., "Association between Dietary Fiber, Water and Magnesium Intake and Functional Constipation among Young Japanese Women," *European Journal of Clinical Nutrition* 61, no. 5 (2007): 616–22, doi: 10.1038/sj.ejcn.1602573; Jacqueline Chan et al., "Water, Other Fluids, and Fatal Coronary Heart Disease: The Adventist Health Study," *American Journal of Epidemiology* 155, no. 9 (2002): 827–33, doi: 10.1093/aje/155.9.827.

recommends a baseline intake of about ¾ of a gallon: Dietary Reference Intakes for Water, Potassium, Sodium, Chloride, and Sulfate (Washington, DC: National Academies Press, 2005), <https://>



www.nap.edu/read/10925/chapter/1; V. A. Convertino et al., "American College of Sports Medicine Position Stand: Exercise and Fluid Replacement," *Medicine and Science in Sports and Exercise* 28, no. 1 (1996): i–vii, doi: 10.1097/00005768-199610000-00045.

it's minimal even at high doses (up to 500 milligrams per day): Yang Zhang et al., "Caffeine and Diuresis during Rest and Exercise: A Meta-analysis," *Journal of Science and Medicine in Sport* 18, no. 5 (2015): 69–74, doi: 10.1016/j.jsams.2014.07.017.

08 〈終生強壯〉的飲食計畫

people new to strength training gain very little fat while in a calorie surplus: Ralph Rozenek et al., "Effects of High-Calorie Supplements on Body Composition and Muscular Strength Following Resistance Training," *Journal of Sports Medicine and Physical Fitness* 42, no. 3 (2002): 340–47, <https://pubmed.us/12094125>.

no meaningful metabolic difference between eating many small and a few large meals: France Bellisle et al., "Meal frequency and energy balance," *British Journal of Nutrition* 77, Suppl 1 (1997): S57–70, doi: 10.1079/bjn19970104.

eating more frequently has no effect on hunger levels: Heather J. Leidy et al., "The Effects of Consuming Frequent, Higher Protein Meals on Appetite and Satiety during Weight Loss in Overweight/Obese Men," *Obesity* 19, no. 4 (2011): 818–24, doi: 10.1038/oby.2010.203; Heather J. Leidy et al., "The Influence of Higher Protein Intake and Greater Eating Frequency on Appetite Control in Overweight and Obese Men," *Obesity* 18, no. 9 (2010): 1725–32, doi: 10.1038/oby.2010.45; Heather J. Leidy and Wayne W. Campbell, "The Effect of Eating Frequency on Appetite Control and Food Intake: Brief Synopsis of Controlled Feeding Studies," *Journal of Nutrition*

141, no. 1 (2011): 154–57, doi: 10.3945/jn.109.114389.

eating just one meal per day can make it harder to gain and maintain muscle: Brad J. Schoenfeld and Alan Albert Aragon, "How Much Protein Can the Body Use in a Single Meal for Muscle-Building? Implications for Daily Protein Distribution," *Journal of the International Society of Sports Nutrition* 15, no. 10 (2018), doi: 10.1186/s12970-018-0215-1.

many underreport these numbers: Lorien E. Urban et al., "Energy Contents of Frequently Ordered Restaurant Meals and Comparison with Human Energy Requirements and US Department of Agriculture Database Information: A Multisite Randomized Study," *Journal of the Academy of Nutrition and Dietetics* 116, no. 4 (2016): 590–8.e6, doi: 10.1016/j.jand.2015.11.009.

moderate alcohol consumption is associated with lower, not higher, body weights: Martin R. Yeomans, "Alcohol, Appetite and Energy Balance: Is Alcohol Intake a Risk Factor for Obesity?," *Physiology and Behavior* 100, no. 1 (2010): 82–89, doi: 10.1016/j.physbeh.2010.01.012; Marion Flechtner-Mors et al., "Effects of Moderate Consumption of White Wine on Weight Loss in Overweight and Obese Subjects," *International Journal of Obesity* 28 no. 11 (2004): 1420–26, doi: 10.1038/sj.ijo.0802786.

an increase in calories from alcohol alone didn't result in the weight gain that would normally occur: Harvey W. Gruchow et al., "Alcohol Consumption, Nutrient Intake and Relative Body Weight among US Adults," *American Journal of Clinical Nutrition* 42, no. 2 (1985): 289–95, doi: 10.1093/ajcn/42.2.289.

alcohol can reduce your appetite: Anna Kokavec, "Is Decreased Appetite for Food a Physiological Consequence of Alcohol Consumption?," *Appetite* 51, no. 2 (2008): 233–43, doi: 10.1016/j.appet.2008.03.011; Mark F. McCarty, "Does Regular Ethanol



Consumption Promote Insulin Sensitivity and Leanness by Stimulating AMP-Activated Protein Kinase?," *Medical Hypotheses* 57, no.3 (2001): 405–7, doi: 10.1054/mehy.2001.1404; Barbara Ukropcova et al., "Dynamic Changes in Fat Oxidation in Human Primary Myocytes Mirror Metabolic Characteristics of the Donor," *Journal of Clinical Investigation* 115, no. 7 (2005): 1934–41, doi: 10.1172/JCI24332.

the body has no way to directly convert alcohol into body fat: Scott Q. Siler et al., "De novo Lipogenesis, Lipid Kinetics, and Whole-Body Lipid Balances in Humans after Acute Alcohol Consumption," *American Journal of Clinical Nutrition* 70, no. 5 (1999): 928–36, doi: 10.1093/ajcn/70.5.928.

it suppresses physiological mechanisms related to fat burning and increases the conversion of carbs into body fat: Yves Schutz, "Role of Substrate Utilization and Thermogenesis on Body-Weight Control with Particular Reference to Alcohol," *Proceedings of the Nutrition Society* 59, no. 4 (2000): 511–17, doi: 10.1017 / s0029665100000744.

eating at least three servings of protein throughout the day is better: José L. Areta et al., "Timing and Distribution of Protein Ingestion during Prolonged Recovery from Resistance Exercise Alters Myofibrillar Protein Synthesis," *Journal of Physiology* 591, no. 9 (2013): 2319–31, doi: 10.1113/jphysiol.2012.244897.

The drawbacks of treating are obvious: James J. DiNicolantonio et al., "Subclinical Magnesium Deficiency: A Principal Driver of Cardiovascular Disease and a Public Health Crisis," *Open Heart* 2018, no. 5 (2018): e000668, doi: 10.1136 /openhrt-2017-000668; Theresa Kulie et al., "Vitamin D: An Evidence-Based Review," *Journal of the American Board of Family Medicine* 22, no. 6 (November 2009): 698–706, doi: 10.3122/jabfm.2009.06.090037;

Jeffrey L. Miller, "Iron Deficiency Anemia: A Common and Curable Disease," *Cold Spring Harbor Perspectives in Medicine* 3, no. 7 (July 2013): a011866, doi: 10.1101/cshperspect .a011866.

the analysis of 360 dinner entrees at 123 nonchain restaurants: Lorien E. Urban et al., "Energy Contents of Frequently Ordered Restaurant Meals and Comparison with Human Energy Requirements and U.S. Department of Agriculture Database Information: A Multisite Randomized Study," *Journal of the Academy of Nutrition and Dietetics* 116, no. 4 (April 2016): 590–598. e6, doi: 10.1016 /j.jand.2015.11.009.

an analysis of restaurant foods conducted by scientists at the Center for Science in the Public Interest: "Xtreme Eating 2014," Center for Science in the Public Interest Website, accessed August 22, 2018, <https://cspinet.org/eating-healthy/foods -avoid/xtreme2014>.

research conducted by scientists at the University of Illinois at Urbana-Champaign: Ruopeng An, "Fast-Food and Full-Service Restaurant Consumption and Daily Energy and Nutrient Intakes in US Adults," *European Journal of Clinical Nutrition* 70, no. 1 (January 2016): 97–103, doi: 10.1038/ejcn.2015.104.

a hormone called leptin, which is produced by body fat: Eric Jéquier, "Leptin Signaling, Adiposity, and Energy Balance," *Annals of the New York Academy of Sciences* 967, no. 1 (June 2002): 379–388, doi: 10.1111/j.1749-6632.2002.tb04293.x.

accomplishes this through several mechanisms: Hyeong-Kyu Park and Rexford S. Ahima, "Physiology of Leptin: Energy Homeostasis, Neuroendocrine Function and Metabolism," *Metabolism* 64, no. 1 (January 2015): 24–34, doi: 10.1016/j.metabol.2014.08.004.

You can temporarily boost leptin production: B. R. Olson et al.,



“Short-Term Fasting Affects Luteinizing Hormone Secretory Dynamics but Not Reproductive Function in Normal-Weight Sedentary Women,” *Journal of Clinical Endocrinology & Metabolism* 80, no. 4 (April 1995): 1187–1193, doi:10.1210 /jcem.80.4.7714088.

Research shows that eating a large amount of carbohydrate: M. Dirlwanger et al., “Effects of Short-Term Carbohydrate or Fat Overfeeding on Energy Expenditure and Plasma Leptin Concentrations in Healthy Female Subjects,” *International Journal of Obesity* 24 (2000): 1413–1418, doi: 10.1038 /sj.ijo.0801395.

09 打造精實肌肉的關鍵

there are three primary “triggers” or “pathways” for muscle growth: Brad J. Schoenfeld, “The Mechanisms of Muscle Hypertrophy and Their Application to Resistance Training,” *Journal of Strength and Conditioning Research* 24, no. 10 (2010): 2857–72, doi: 10.1519/ JSC.0b013e3181e840f3.

It’s unclear whether muscle damage directly stimulates muscle growth: Felipe Damas et al., “The Development of Skeletal Muscle Hypertrophy through Resistance Training: The Role of Muscle Damage and Muscle Protein Synthesis,” *European Journal of Applied Physiology* 118, no. 3 (2018): 485–500, doi: 10.1007 /s00421-017-3792-9.

mechanical tension is the most important of these three: Troy A. Hornberger and Shu Chien, “Mechanical Stimuli and Nutrients Regulate Rapamycin-Sensitive Signaling through Distinct Mechanisms in Skeletal Muscle,” *Journal of Cellular Biochemistry* 97, no. 6 (2006): 1207–16, doi: 10.1002/jcb.20671; Herman H. Vandenburg, “Motion into Mass: How Does Tension Stimulate Muscle Growth?,” *Medicine and Science in Sports and Exercise* 19, 5 Suppl (1987):S142–S149, <https://pubmed.ncbi.nlm.nih.gov/3316913/>; Brad J.

Schoenfeld. “The Mechanisms of Muscle Hypertrophy and Their Application to Resistance Training”; Hans Hoppeler et al., “Gene Expression in Working Skeletal Muscle,” *Advances in Experimental Medicine and Biology* 618 (2007): 245–54, doi: 10.1007/978-0-387-75434-5_19.

also relate to what scientists call the strength-endurance continuum: Gerson E. R. Campos et al., “Muscular Adaptations in Response to Three Different Resistance-Training Regimens: Specificity of Repetition Maximum Training Zones,” *European Journal of Applied Physiology* 88, no. 1–2 (2002): 50–60, doi: 10.1007/s00421-002-0681-6.

neither men nor women can “lengthen” and “tighten” their muscles: Cynthia H. Weppeler and Stig P. Magnusson, “Increasing Muscle Extensibility: A Matter of Increasing Length or Modifying Sensation?,” *Physical Therapy* 90, no. 3 (2010): 438–49, doi: 10.2522/ptj.20090012; Anthony J. Blazevich et al., “Range of Motion, Neuromechanical, and Architectural Adaptations to Plantar Flexor Stretch Training in Humans,” *Journal of Applied Physiology* 117, no. 5 (1985): 452–62, doi: 10.1152/jappphysiol.00204.2014.

10 成功肌力訓練的 5 大法則

around 20 percent of patients account for 80 percent of healthcare spending: Bradley Sawyer and Gary Claxton, “Discussion of Health Spending often Focus on Averages, but a Small Share of the Population Incurs Most of the Cost,” *Health System Tracker* website, January 16, 2019, https://www.healthsystemtracker.org/chart-collection/health-expenditures-vary-across-population/#item-discussion-of-health-spending-often-focus-on-averages-but-a-small-share-of-the-population-incurs-most-of-the-cost_2016; Jeff Zimmerman, “Applying the Pareto Principle (80-20 Rule) to Baseball,” *Beyond the Box Score* website, June 4, 2010,



<https://www.beyondtheboxscore.com/2010/6/4/1501048/applying-the-parento-principle-80>; vshalom Caspi et al., "Childhood Forecasting of a Small Segment of the Population with Large Economic Burden," *Nature Human Behaviour* 1 (2016): 0005, doi: 10.1038 /s41562-016-0005.

it also accumulates fatigue that leads to reductions in speed: Jeffrey B. Kreher and Jennifer Schwartz, "Overtraining Syndrome: A Practical Guide," *Sports Health: A Multidisciplinary Approach* 4, no. 2 (2012): 128–38, doi: 10.1177/1941738111434406.

this response to training may be more of a mental or emotional state: Shon L. Halson and Asker E. Jeukendrup, "Does Overtraining Exist? An Analysis of Overreaching and Overtraining Research," *Sports Medicine* 34, no. 14 (2004): 967–81, doi: 10.2165/00007256-200434140-00003.

the less frequently you can do them: Daniel W. Robbins et al., "The Effect of Training Volume on Lower-Body Strength," *Journal of Strength and Conditioning Research* 26, no. 1 (2012): 34–39, doi: 10.1519/JSC.0b013e31821d5cc4.

this threshold is likely between 8 and 10 hard sets: Eric R. Helms et al., "Recommendations for Natural Bodybuilding Contest Preparation: Resistance and Cardiovascular Training," *Journal of Sports Medicine and Physical Fitness* 55, no. 3 (2015): 164–78, <https://pubmed.ncbi.nlm.nih.gov/24998610/>.

trainees need to do upward of 15 to 20 hard sets per week: Theban Amirthalingam et al., "Effects of a Modified German Volume Training Program on Muscular Hypertrophy and Strength," *Journal of Strength and Conditioning Research* 31, no. 11 (2017): 3109–19, doi: 10.1519/JSC.0000000000001747.

when sets are taken to or close to muscle failure: Michael Matthews, "Research Review: What's the Best Rep Range for Building Muscle?," June 27, 2018, *Muscle for Life* podcast, <https://legionathletics.com/rep-range-podcast/>.

training to muscle failure regularly isn't optimal: Alex S. Ribeiro et al., "Acute Effects of Different Training Loads on Affective Responses in Resistance-Trained Men," *International Journal of Sports Medicine* 40, no. 13 (2019): 850–55, doi: 10.1055/a-0997-6680; Cody T. Haun et al., "Molecular, Neuromuscular, and Recovery Responses to Light versus Heavy Resistance Exercise in Young Men," *Physiological Reports* 5, no. 18 (2017): e13457, doi: 10.14814/phy2.13457.

A study conducted by scientists at the State University of Rio de Janeiro: Belmiro Freitas de Salles et al., "Rest Interval between Sets in Strength Training," *Sport Medicine* 39, no. 9 (2009): 765–77, doi: 10.2165/11315230-000000000-00000.

in another study conducted at Eastern Illinois University: Jeffrey M. Willardson and Lee N. Burkett, "The Effect of Different Rest Intervals between Sets on Volume Components and Strength Gains," *Journal of Strength Conditioning Research* 22, no. 1 (2008): 146–52, doi: 10.1519/JSC.0b013e31815f912d.

envisioning the successful completion of a resistance training set beforehand can increase performance: Florent Lebon et al., "Benefits of Motor Imagery Training on Muscle Strength," *Journal of Strength and Conditioning Research* 24, no. 6 (2010): 1680–87, doi: 10.1519/JSC.0b013e3181d8e936.

it increases muscle and strength gain, and may also reduce the risk of injury: Ronei S. Pinto et al., "Effect of Range of Motion on Muscle Strength and Thickness," *Journal of Strength and Conditioning Research* 26, no. 8 (2012): 2140–45, doi: 10.1519/



JSC.0b013e31823a3b15.

the burden shifts to other tendons and ligaments: Tony Ciccone et al., "Deep Squats and Knee Health: A Scientific Review," Center for Sport Performance, accessed Jan 30, 2021, <https://shruggedcollective.com/wp-content/uploads/2015/04/DeepSquat-Review-Barbell-Daily-3-27-15.pdf>.

Your instinctive answer will often be accurate: Daniel A. Hackett et al., "Accuracy in Estimating Repetitions to Failure during Resistance Exercise," *Journal of Strength and Conditioning Research* 31, no. 8 (2017): 2162–68, doi: 10.1519/JSC.0000000000001683.

slow-rep training has been put to the test in quite a few studies: Joanne Munn et al., "Resistance Training for Strength: Effect of Number of Sets and Contraction Speed," *Medicine and Science in Sports and Exercise* 37, no. 9 (2005): 1622–26, doi: 10.1249/01.mss.0000177583.41245.f8; Christopher M. Neils et al., "Influence of Contraction Velocity in Untrained Individuals over the Initial Early Phase of Resistance Training," *Journal of Strength and Conditioning Research* 19, no. 4 (2005): 883, doi: 10.1519/R-15794.1; Eonho Kim et al., "Effects of 4 Weeks of Traditional Resistance Training vs. Superslow Strength Training on Early Phase Adaptations in Strength, Flexibility, and Aerobic Capacity in College-Aged Women," *Journal of Strength and Conditioning Research* 25, no. 11 (2011): 3006–13, doi: 10.1519/JSC.0b013e318212e3a2; Disa L. Hatfield et al., "The Impact of Velocity of Movement on Performance Factors in Resistance Exercise," *Journal of Strength and Conditioning Research* 20, no. 4 (2006): 760–66, doi: 10.1519/R-155552.1.

Time under tension isn't important enough to warrant special attention: Samuel Arlington Headley et al., "Effects of Lifting Tempo on One Repetition Maximum and Hormonal Responses to a Bench Press Protocol," *Journal of Strength and Conditioning*

Research 25, no. 2 (2011): 406–13, doi: 10.1519/JSC.0b013e3181bf053b.

load and reps are major factors in how much muscle and strength you gain: Thalita Leite et al., "Dose-Response of 1, 3, and 5 Sets of Resistance Exercise on Strength, Local Muscular Endurance, and Hypertrophy," *Journal of Strength and Conditioning Research* 29, no. 5 (2015): 1349–58, doi: 10.1519/JSC.0000000000000758.

Many strength training injuries aren't caused by training too hard: U. M. Kujala et al., "Knee Injuries in Athletes: Review of Exertion Injuries and Retrospective Study of Outpatient Sports Clinic Material," *Sports Medicine* 3, no. 6 (1986): 447–60, doi: 10.2165/00007256-198603060-00006; Nicola Maffulli et al., "Sport Injuries: A Review of Outcomes," *British Medical Bulletin* 97, no. 1 (2011): 47–80, doi: 10.1093/bmb/ldq026.

11 打造最強版本自己的最佳訓練動作

The more often you make a switch, the harder it is to become proficient: Philip D. Chilibeck et al., "A Comparison of Strength and Muscle Mass Increases during Resistance Training in Young Women," *European Journal of Applied Physiology and Occupational Physiology* 77, no.1–2 (1998): 170–75, doi: 10.1007/s004210050316

12 〈終生強壯〉訓練計畫

it's not clear that heating up our muscles before loading them makes injury less likely: Andrea J. Fradkin et al., "Does Warming Up Prevent Injury in Sport?," *Journal of Science and Medicine in Sport* 9, no. 3 (2006): 214–20, doi: 10.1016/j.jsams.2006.03.026.

the more times you perform an exercise correctly, the more that



becomes your de-fault way to move: David A. Gabriel et al., "Neural Adaptations to Resistive Exercise: Mechanisms and Recommendations for Training Practices," *Sports Medicine* 36, no. 2 (2006): 133–49, doi: 10.2165/00007256-200636020-00004.

a short warm-up routine . . . can boost performance levels: Andrea J. Fradkin et al., "Effects of Warming-Up on Physical Performance: A Systematic Review with Meta-analysis," *Journal of Strength and Conditioning Research* 24, no. 1 (2010): 140–48, doi: 10.1519/JSC.0b013e3181c643a0.

cardio causes adaptations at a cellular level: Vernon G. Coffey et al., "Early Signaling Responses to Divergent Exercise Stimuli in Skeletal Muscle from Well-Trained Humans," *FASEB Journal* 20, no. 1 (2006): 190–92, doi: 10.1096/fj.05-4809fje.

It can burn more than twice as many calories per unit of time: Jenna B. Gillen et al., "Twelve Weeks of Sprint Interval Training Improves Indices of Cardio-metabolic Health Similar to Traditional Endurance Training despite a Five-Fold Lower Exercise Volume and Time Commitment," Øyvind Sandbakk, ed., *PLoS One* 11, no. 4 (2016): e0154075, doi: 10.1371/journal.pone.0154075; Kyle J. Sevits et al., "Total Daily Energy Expenditure Is Increased Following a Single Bout of Sprint Interval Training," *Physiological Reports* 1, no. 5 (2013): e00131, doi: 10.1002/phy2.131.

It also causes more fatigue, soreness, and muscle damage than lower-intensity cardio: Eric R. Helms et al., "Recommendations for Natural Bodybuilding Contest Preparation: Resistance and Cardiovascular Training," *Journal of Sports Medicine and Physical Fitness* 55, no. 3: 164–78, <https://pmid.us/24998610>.

these kinds of exercise cause little muscle damage or soreness: David C. Nieman et al., "Immune and Inflammation Responses to a 3-day Period of Intensi-fied Running versus Cycling," *Brain*,

Behavior, and Immunity 39 (July 2014): 180–85, doi:

10.1016/j.bbi.2013.09.004; Moritz Schumann and Bent R. Rønnestad, *Concurrent Aerobic and Strength Training* (Springer International Publishing, 2019), 19–34.

it can enhance lower-body muscle growth: Schumann and Rønnestad, *Concurrent Aerobic and Strength Training*.

13 追蹤進步的正確方式

these gadgets and software are notoriously inaccurate: Anna Shcherbina et al., "Accuracy in Wrist-Worn, Sensor-Based Measurements of Heart Rate and Energy Expenditure in a Diverse Cohort," *Journal of Personalized Medicine* 7, no. 2 (2017): 3, doi: 10.3390/jpm7020003; Andrea C. Buchholz, "The Validity of Bioelectrical Impedance Models in Clinical Populations," *Nutrition in Clinical Practice* 19, no. 5 (2004): 433–46, doi: 10.1177/0115426504019005433; Kurusart Konharn et al., "Validity and Reliability of Smartphone Applications for the Assessment of Walking and Running in Normal-Weight and Overweight/Obese Young Adults," *Journal of Physical Activity and Health* 13, no.12 (2016): 1333–40, doi: 10.1123/jpah.2015-0544.

14 〈終生強壯〉訓練快速指引

such feelings aren't a sign that something is wrong: Alison Wood Brooks, "Get Excited: Reappraising Pre-performance Anxiety as Excitement," *Journal of Experimental Psychology General* 143, no. 3 (2014): 1144–58, doi: 10.1037/a0035325.



15 聰明消費者的補充品選購指引

a growing body of evidence shows they don't: Robert R. Wolfe, "Branched-Chain Amino Acids and Muscle Protein Synthesis in Humans: Myth or Reality?," *Journal of the International Society of Sports Nutrition* 14, no. 1 (2017): 30, doi: 10.1186/s12970-017-0184-9.

studies show that it's a flop: Steven B. Heymsfield et al., "Garcinia cambogia (Hydroxycitric Acid) as a Potential Antiobesity Agent: A Randomized Controlled Trial," *JAMA* 280, no. 18 (1998): 1596–1600, doi: 10.1001/jama.280.18.1596; Ji-Eun Kim et al., "Does Glycine Max Leaves or Garcinia cambogia Promote Weight-Loss or Lower Plasma Cholesterol in Overweight Individuals: A Randomized Control Trial," *Nutrition Journal* 10, no. 1 (2011): 94, doi: 10.1186/1475-2891-10-94; Richard D. Mattes and Leslie Bormann, "Effects of (-)-Hydroxycitric Acid on Appetitive Variables," *Physiology and Behaviour* 71, no. 1–2 (2000): 87–94, doi: 10.1016/S0031-9384(00)00321-8.

The same goes for the go-to supplement for boosting testosterone, Tribulus terrestris: Shane Rogerson et al., "The Effect of Five Weeks of Tribulus terrestris Supplementation on Muscle Strength and Body Composition during Preseason Training in Elite Rugby League Players," *Journal of Strength and Conditioning Research* 21, no. 2 (2007): 348, doi: 10.1519/R-18395.1; Vladimir Neychev et al., "The Aphrodisiac Herb Tribulus terrestris Does Not Influence the Androgen Production in Young Men," *Journal of Ethnopharmacology* 101, no. 1–3(2005): 319–23, doi: 10.1016/j.jep.2005.05.017; Christophe Saudan et al., "Short Term Impact of Tribulus terrestris Intake on Doping Control Analysis of Endogenous Steroids," *Forensic Science International* 178, no. 1 (2008): e7–e10, doi: 10.1016/j.forsciint.2008.01.003.

they can cause adverse reactions in some people: Jinhui Feng, Carl

E. Cerniglia, and Huizhong Chen, "Toxicological Significance of Azo Dye Metabolism by Human Intestinal Microbiota," *Frontiers in Bioscience (Elite Edition)* 4 (2012): 568–86, doi: 10.2741/400; Robin B. Kanarek, "Artificial Food Dyes and Attention Deficit Hyperactivity Disorder," *Nutrition Reviews* 69, no. 7 (2011): 385–91, doi: 10.1111/j.1753-4887.2011.00385.x; Joel T. Nigg et al., "Meta-Analysis of Attention-Deficit/Hyperactivity Disorder Symptoms, Restriction Diet, and Synthetic Food Color Additives," *Journal of the American Academy of Child and Adolescent Psychiatry* 51, no. 1 (2012): 86–97. e8, doi: 10.1016/j.jaac.2011.10.015; Donna McCann et al., "Food Additives and Hyper active Behaviour in 3-Year-Old and 8/9-Year-Old Children in the Community: A Randomised, Double-Blinded, Placebo-Controlled Trial," *Lancet* 370, no.9598 (2007): 1560–7, doi: 10.1016/S0140-6736(07)61306-3; Yonglin Gao et al., "Effect of Food Azo Dye Tartrazine on Learning and Memory Functions in Mice and Rats, and the Possible Mechanisms Involved," *Journal of Food Science* 76, no. 6 (2011): T125–9, doi: 10.1111/j.1750-3841.2011.02267.x.

why is digested and absorbed quickly and flush with the amino acid leucine: Layne E. Norton et al., "Leucine Content of Dietary Proteins Is a Determinant of Postprandial Skeletal Muscle Protein Synthesis in Adult Rats," *Nutrition and Metabolism* 9, no. 1 (2012): 67, doi: 10.1186/1743-7075-9-67; Yves Boirie et al., "Slow and Fast Dietary Proteins Differently Modulate Postprandial Protein Accretion," *Proceedings of the National Academy of Sciences* 94, no. 26 (1997): 14930–35, doi: 10.1073/pnas.94.26.14930.

it contains dietary fat and lactose: Jay R. Hoffman and Michael J. Falvo, "Protein—Which Is Best?," *Journal of Sports Science and Medicine* 3, no. 3 (2004): 118–30, <https://pubmed.ncbi.nlm.nih.gov/24482589/>.

a high-quality whey concentrate works just fine: Hoffman and Falvo, "Protein—Which Is Best?"; Paige E. Miller et al., "Effects of



Whey Protein and Resistance Exercise on Body Composition: A Meta-analysis of Randomized Controlled Trials," *Journal of the American College of Nutrition* 33, no. 2 (2014): 163–75, doi: 10.1080/07315724.2013.875365.

casein digests slowly: Yves Boirie et al., "Slow and Fast Dietary Proteins Differently Modulate Postprandial Protein Accretion," *Proceedings of the National Academy of Sciences* 94, no. 26 (1997): 14930–35, doi: 10.1073/pnas.94.26.14930.

normal levels of soy and isoflavone intake don't alter male fertility or hormones: Jorge E. Chavarro et al., "Soy Food and Isoflavone Intake in Relation to Semen Quality Parameters among Men from an Infertility Clinic," *Human Reproduction* 23, no. 11 (2008): 2584–90, doi: 10.1093/humrep/den243; Baohua Liu et al., "Equol-Producing Phenotype and in Relation to Serum Sex Hormones among Healthy Adults in Beijing," *Wei Sheng Yan Jiu* 40, no. 6 (2011): 727–31, <https://pubmed.ncbi.nlm.nih.gov/22279666/>; Laura K. Beaton et al., "Soy Protein Isolates of Varying Isoflavone Content Do Not Adversely Affect Semen Quality in Healthy Young Men," *Fertility and Sterility* 94, no. 5 (2010): 1717–22, doi: 10.1016/j.fertnstert.2009.08.055.

these effects can vary depending on the presence or absence of certain intestinal bacteria: Cara L. Frankenfeld et al., "High Concordance of Daidzein-Metabolizing Phenotypes in Individuals Measured 1 to 3 Years Apart," *British Journal of Nutrition* 94, no. 6 (2005): 873–76, doi: 10.1079/bjn20051565.

soy protein is a wonderful plant-based source of protein: Johannes Huber et al., "Effects of Soy Protein and Isoflavones on Circulating Hormone Concentrations in Pre- and Post-menopausal Women: A Systematic Review and Meta-analysis," *Human Reproduction Update* 16, no. 1 (2010): 110–11, doi: 10.1093/humupd/dmp040; Meinan Chen et al., "Association between Soy Isoflavone Intake and

Breast Cancer Risk For Pre-and Post-menopausal Women: A Meta-analysis of Epidemiological Studies," *PLoS One* 9, no. 2 (2014): e89288, doi: 10.1371/journal.pone.0089288.

it's lacking in the essential amino acids most related to muscle growth: J. E. Eastoe, "The Amino Acid Composition of Mammalian Collagen and Gelatin," *Bio-chemical Journal* 61, no. 4 (1955): 589–600, doi: 10.1042/bj0610589; Juha J. Hulmi et al., "Effect of Protein/Essential Amino Acids and Resistance Training on Skeletal Muscle Hypertrophy: A Case for Whey Protein," *Nutrition and Metabolism* 7, no. 51 (2010), doi: 10.1186/1743-7075-7-51

Collagen protein is low in sulfur: Omer Kabil et al., "Sulfur as a Signaling Nutrient through Hydrogen Sulfide," *Annual Review of Nutrition* 34, (2014): 171–205, doi: 10.1146/annurev-nutr-071813-105654.

protein in rice . . . has a high biological value: Jordan M. Joy et al., "The Effects of 8 Weeks of Whey or Rice Protein Supplementation on Body Composition and Exercise Performance," *Nutrition Journal* 12, no. 1 (2013): 86, doi: 10.1186/1475-2891-12-86; V. W. Padhye and D. K. Salunkhe, "Extraction and Characterization of Rice Proteins," *Cereal Chemistry* 56, no. 5 (1979): 389–93; Douglas Kalman, "Amino Acid Composition of an Organic Brown Rice Protein Concentrate and Isolate Compared to Soy and Whey Concentrates and Isolates," *Foods* 3, no. 3 (2014): 394–402, doi: 10.3390/foods3030394.

pea protein also has a high biological value: François Mariotti et al., "The Influence of the Albumin Fraction on the Bioavailability and Postprandial Utilization of Pea Protein Given Selectively to Humans," *Journal of Nutrition* 131, no. 6 (2001): 1706–13, doi: 10.1093/jn/131.6.1706; Nicolas Babault et al., "Pea Proteins Oral Supplementation Promotes Muscle Thickness Gains during Resistance Training: A Double-Blind, Randomized, Placebo-



Controlled Clinical Trial vs. Whey Protein,” *Journal of the International Society of Sports Nutrition* 12, no. 1 (2015): 3, doi: 10.1186/s12970-014-0064-5.

hemp protein isn’t absorbed as well as soy, rice, or pea protein: James D. House, “Evaluating the Quality of Protein from Hemp Seed (*Cannabis sativa* L.) Products through the Use of the Protein Digestibility- Corrected Amino Acid Score Method,” *Journal of Agricultural Food Chemistry* 58, no. 22 (2010): 11801–07, doi: 10.1021/jf102636b; Xian-Sheng Wang et al., “Characterization, Amino Acid Composition and In Vitro Digestibility of Hemp (*Cannabis sativa* L.) Proteins,” *Food Chemistry* 107, no. 1 (2008): 11–18, doi: 10.1016/j.foodchem.2007.06.064.

According to research conducted by scientists at Colorado State University: Loren Cordain et al., “Origins and Evolution of the Western Diet: Health Implications for the 21st Century,” *American Journal of Clinical Nutrition* 81, no. 2 (2005): 341–54, doi: 10.1093/ajcn.81.2.341.

A more recent study conducted by scientists at Tufts University: Jeffrey B. Blum-berg et al., “Impact of Frequency of Multi-Vitamin/ Multi-Mineral Supplement Intake on Nutritional Adequacy and Nutrient Deficiencies in US Adults,” *Nutrients* 9, no. 8 (2017): 849, doi: 10.3390/nu9080849.

average vitamin K and D intake levels may be suboptimal: Gerry Kurt Schwalfen-berg, “Vitamins K1 and K2: The Emerging Group of Vitamins Required for Human Health,” *Journal of Nutrition and Metabolism* 2017 (2017): 6254836, doi: 10.1155/2017/6254836; Matthias Wacker and Michael F. Holick, “Vitamin D—Effects on Skeletal and Extraskelatal Health and the Need for Supplementation,” *Nutrients* 5, no. 1 (2013): 111–48, doi: 10.3390/nu5010111.

Many contain large amounts of vitamins and minerals most people don’t need to supplement: Marie-Cécile Nollevaux et al., “Hypervitaminosis A-induced Liver Fibrosis: Stellate Cell Activation and Daily Dose Consumption,” *Liver International* 26, no. 2 (2006): 182–86, doi: 10.1111/j.1478-3231.2005.01207.x; Edgar R. Miller 3rd et al., “Meta-analysis: High-Dosage Vitamin E Supplemen-tation May Increase All-Cause Mortality,” *Annals of International Medicine* 142, no. 1 (2005): 37–46, doi: 10.7326/0003-4819-142-1-200501040-00110.

several synthetic vitamins outperform natural ones: Maret G. Traber et al., “Syn thetic as Compared with Natural Vitamin E Is Preferentially Excreted as Alpha- CEHC in Human Urine: Studies Using Deuterated Alpha-Tocopheryl Acetates,” *FEBS Letters* 437, no. 1–2 (1998): 145–48, doi: 10.1016/s0014-5793(98)01210-1; Francesco Scaglione and Giscardo Panzavolta, “Folate, Folic Acid and 5-methyltetrahydrofolate Are Not the Same Thing,” *Xenobiotica* 44, no. 5 (2014): 480–88, doi: 10.3109/00498254.2013.845705.

many people have a genetic mutation that hinders the production of 5-MTHF: “MTHFR Gene Variant,” Genetic and Rare Diseases Information Center (GARD) website, last updated January 25, 2018, <https://rarediseases.info.nih.gov/diseases/10953/mthfr-gene-mutation>.

it plays a vital role in many physiological processes: Michael Holick, “Vitamin D Is Essential to the Modern Indoor Lifestyle,” *Science News* website, October 8, 2010, <https://www.sciencenews.org/article/vitamin-d-essential-modern-indoor-lifestyle>; Michael Holick, “Vitamin D: Evolutionary, Physiological and Health Perspectives,” *Current Drug Targets* 12, no. 1 (2011): 4–18, doi: 10.2174/138945011793591635; Matthias Wacker and Michael F.



Holick, "Vitamin D—Effects on Skeletal and Extraskelatal Health and the Need for Supplementation," *Nutrients* 5, no. 1 (2013): 111–48, doi: 10.3390/nu5010111.

insufficient vitamin D intake is associated with an increased risk of many types of disease: Bess Dawson-Hughes et al., "IOF Position Statement: Vitamin D Recommendations for Older Adults," *Osteoporosis International* 21, no. 7 (2010): 1151–54, doi: 10.1007/s00198-010-1285-3; Thomas J. Wang et al., "Vitamin D Deficiency and Risk of Cardiovascular Disease," *Circulation* 117, no. 4 (2008): 503–11, doi: 10.1161/circulationaha.107.706127; Stefan Pilz et al., "Low Vitamin D Levels Predict Stroke in Patients Referred to Coronary Angiography," *Stroke* 39, no. 9 (2008): 2611–13, doi: 10.1161/strokeaha.107.513655; Edward Giovannucci, "Epidemiological Evidence for Vitamin D and Colorectal Cancer," *Journal of Bone and Mineral Research* 22, no. S2 (2007): V81–V85, doi: 10.1359/jbmr.07s206; Elina Hyppönen et al., "Intake of Vitamin D and Risk of Type 1 Diabetes: A Birth-Cohort Study," *Lancet* 358, no. 9292 (2001): 1500–03, doi: 10.1016/S0140-6736(01)06580-1; Cassandra L. Munger et al., "Serum 25-Hydroxyvitamin D Levels and Risk of Multiple Sclerosis," *JAMA* 296, no. 23 (2006): 2832 doi: 10.1001/jama.296.23.2832; Kelechi Ebere Nnoaham and Aileen Clarke, "Low Serum Vitamin D Levels and Tuberculosis: A Systematic Review and Meta-analysis," *International Journal of Epidemiology* 37, no. 1 (2008): 113–19, doi: 10.1093/ije/dym247; John J. Cannell et al., "Epidemic Influenza and Vitamin D," *Epidemiology and Infection* 134, no. 6 (2006): 1129, doi: 10.1017/S0950268806007175.

many age-related diseases . . . are associated with low levels of vitamin D: Lynette M. Smith and Christopher J. Gallagher, "Dietary Vitamin D Intake for the Elderly Population: Update on the Recommended Dietary Allowance for Vitamin D," *Endocrinology and Metabolism Clinics of North America* 46, no. 4 (2017): 871–84,

doi: 10.1016/j.ecl.2017.07.003.

According to a committee of the Endocrine Society: Michael F. Holick et al., "Evaluation, Treatment, and Prevention of Vitamin D Deficiency: An Endocrine Society Clinical Practice Guideline," *Journal of Clinical Endocrinology and Metabolism* 96, no. 7 (2011): 1911–30, doi: 10.1210/jc.2011-0385.

the average person's diet provides just one-tenth of the EPA and DHA needed: Penny M. Kris-Etherton et al., "Polyunsaturated Fatty Acids in the Food Chain in the United States," *American Journal of Clinical Nutrition* 71, no. 1 (2000): 179S–188S, doi: 10.1093/ajcn/71.1.179S; Danielle Swanson et al., "Omega-3 Fatty Acids EPA and DHA: Health Benefits throughout Life," *Advances in Nutrition* 12, no. 3 (2012): 1–7, doi: 10.3945/an.111.000893; André Nkondjock and Parviz Ghadirian, "Intake of Specific Carotenoids and Essential Fatty Acids and Breast Cancer Risk in Montreal, Canada," *American Journal of Clinical Nutrition* 79, no. 5 (2004): 857–64, doi: 10.1093/ajcn/79.5.857.

Faster fat loss: Charles Couet et al., "Effect of Dietary Fish Oil on Body Fat Mass and Basal Fat Oxidation in Healthy Adults," *International Journal of Obesity and Related Metabolic Disorders* 21, no. 8 (1997): 637–43, doi: 10.1038/sj.ijo.0800451.

Less fat gain: Jonathan D. Buckley and Peter R. C. Howe, "Anti-obesity Effects of Long-Chain Omega-3 Polyunsaturated Fatty Acids," *Obesity Reviews* 10, no. 6 (2009): 648–59, doi: 10.1111/j.1467-789X.2009.00584.x.

More muscle growth: Gordon I. Smith et al., "Omega-3 Polyunsaturated Fatty Acids Augment the Muscle Protein Anabolic Response to Hyperinsulinaemia–Hyperaminoacidaemia in Healthy Young and Middle-Aged Men and Women," *Clinical Science* 121,



no. 6 (2011): 267–78, doi: 10.1042/CS20100597.

Improved mood: Gordon Parker et al., “Omega-3 Fatty Acids and Mood Disorders,” *American Journal of Psychiatry* 163, no. 6 (2006): 969–78, doi: 10.1176 /ajp.2006.163.6.969; Alan C. Logan, “Omega-3 Fatty Acids and Major Depression: A Primer for the Mental Health Professional,” *Lipids in Health and Disease* 3, (2004): 25, doi: 10.1186/1476-511X-3-25; Janice Kiecolt-Glaser et al., “Omega-3 Supplementation Lowers Inflammation and Anxiety in Medical Students: A Randomized Controlled Trial,” *Brain Behaviour and Immunity* 25, no. 8 (2011): 1725–34, doi: 10.1016/j.bbi.2011.07.229.

Better cognitive performance: S. Kalmijn et al., “Dietary Intake of Fatty Acids and Fish in Relation to Cognitive Performance at Middle Age,” *Neurology* 62, no. 2 (2004): 275–80, doi: 10.1212/01.WNL.0000103860.75218.A5.

Enhanced immunity: Alessio Molino et al., “The Role for Dietary Omega-3 Fatty Acids Supplementation in Older Adults,” *Nutrients* 6, no. 10 (2014): 4058–73, doi: 10.3390/nu6104058.

Reduced muscle and joint soreness: Robert J. Goldberg and Joel Katz, “A Meta-analysis of the Analgesic Effects of Omega-3 Polyunsaturated Fatty Acid Supplementation for Inflammatory Joint Pain,” *Pain* 129, no. 1–2 (2007): 210–23, doi: 10.1016/j.pain.2007.01.020.

omega-3 levels are much lower in meat and eggs than in fish: Eric Ponnampalam et al., “Effect of Feeding Systems on Omega-3 Fatty Acids, Conjugated Linoleic Acid and Trans Fatty Acids in Australian Beef Cuts: Potential Impact on Human Health,” *Asia Pacific Journal of Clinical Nutrition* 15, no. 1 (2006): 21–29, <https://pubmed.us/16500874>.

this conversion process is inefficient: Hermant Poudyal et al.,

“Omega-3 Fatty Acids and Metabolic Syndrome: Effects and Emerging Mechanisms of Action,” *Progress in Lipid Research* 50, no. 4 (2011): 372–87, doi: 10.1016 /j.plipres.2011.06.003.

vegans often have omega-3 fatty acid deficiencies: Magdalena Rosell et al., “Long-Chain n–3 Polyunsaturated Fatty Acids in Plasma in British Meat-Eating, Vegetarian, and Vegan Men,” *American Journal of Clinical Nutrition* 82, no. 2 (2005): 327–33, doi: 10.1093/ajcn.82.2.327.

re-esterified triglyceride fish oil is better absorbed by the body: Jørn Dyerberg et al., “Bioavailability of Marine n-3 Fatty Acid Formulations,” *Prostaglandins Leukotrienes and Essential Fatty Acids* 83, no. 3 (2010): 137–41, doi: 10.1016 /j.plefa.2010.06.007.

ethyl ester oil oxidizes (goes bad) more easily: H. Lee et al., “Analysis of Head-space Volatile and Oxidized Volatile Compounds in DHA-Enriched Fish Oil on Accelerated Oxidative Storage,” *Journal of Food Science* 68, no. 7 (2003): 2169–77, doi: 10.1111/j.1365-2621.2003.tb05742.x.

a combined intake of 500 milligrams to 1.8 grams of EPA and DHA per day is adequate: Penny M. Kris-Etherton et al., “Fish Consumption, Fish Oil, Omega-3 Fatty Acids, and Cardiovascular Disease,” *Circulation* 106, no. 21 (2002): 2747–57, doi: 10.1161/01.cir.0000038493.65177.94; Gordon Smith et al., “Omega-3 Polyunsaturated Fatty Acids Augment the Muscle Protein Anabolic Response to Hyperinsulinaemia–Hyperaminoacidaemia in Healthy Young and Middle-Aged Men and Women,” *Clinical Science* 121, no. 6 (2011): 267–78, doi: 10.1042 /CS20100597.

More muscle growth: John David Branch, “Effect of Creatine Supplementation on Body Composition and Performance: A Meta-analysis,” *International Journal of Sport Nutrition and Exercise Metabolism* 13, no. 2 (2003): 198–226, doi: 10.1123/ijsnem.13.2.198.



Faster strength gain: Jeff S. Volek et al., "The Effects of Creatine Supplementation on Muscular Performance and Body Composition Responses to Short-Term Resistance Training Overreaching," *European Journal of Applied Physiology* 91, no. 5–6 (2004): 628–37, doi: 10.1007/s00421-003-1031-z.

Greater anaerobic endurance: Joan Eckerson et al., "Effect of Creatine Phosphate Supplementation on Anaerobic Working Capacity and Body Weight after Two and Six Days of Loading in Men and Women," *Journal of Strength and Conditioning Research* 19, no. 4 (2005): 756, doi: 10.1519/R-16924.1.

Better post-workout recovery: Reinaldo Abunasser Bassit et al., "Effect of Short-Term Creatine Supplementation on Markers of Skeletal Muscle Damage after Strenuous Contractile Activity," *European Journal of Applied Physiology* 108, no. 5 (2010): 945–55, doi: 10.1007/s00421-009-1305-1.

Creatine does all these things safely: Geert Jan Groeneveld et al., "Few Adverse Effects of Long-Term Creatine Supplementation in a Placebo-Controlled Trial," *International Journal of Sports Medicine* 26, no. 4 (2005): 307–13, doi: 10.1055/s-2004-817917.

you have nothing to fear from creatine: Kurt A. Plin and Curtis L. Smith, "The Effect of Creatine Intake on Renal Function," *Annals of Pharmacotherapy* 39, no. 6 (2005): 1093–96, doi: 10.1345/aph.1E628.

high creatinine levels are normal: Giuseppe Banfi and Massimo Del Fabbro, "Serum Creatinine Values in Elite Athletes Competing in 8 Different Sports: Comparison with Sedentary People," *Clinical Chemistry* 52, no. 2 (2006): 330–31, doi: 10.1373/clinchem.2005.061390.

Five grams of creatine monohydrate once per day is optimal: Michael G. Bemben and Hugh S. Lamont, "Creatine

Supplementation and Exercise Performance: Recent Findings," *Sports Medicine* 35, no.2 (2005): 107–25, doi: 10.2165/00007256-200535020-00002.

you can "load" it by taking 20 grams per day: Bemben and Lamont, "Creatine Supplementation."

taking it post-workout may be optimal: Scott C. Forbes and Darren G. Candow, "Timing of Creatine Supplementation and Resistance Training: A Brief Review," *Journal of Exercise and Nutrition* 1, no. 5 (2018): 1, <https://www.researchgate.net/scientific-contributions/FM-lvey-2036138657>.

denatured collagen has no beneficial effects on joint inflammation: Cathryn Nagler-Anderson et al., "Suppression of Type II Collagen-Induced Arthritis by Intragastric Administration of Soluble Type II Collagen," *Proceedings of the National Academy of Sciences* 83, no. 19 (1986): 7443–46, doi: 10.1073/pnas.83.19.7443.

it's effective for regulating the immune response that inflames joints: James P. Lugo et al., "Undenatured Type II Collagen (UC-II®) for Joint Support: A Randomized, Double-Blind, Placebo-Controlled Study in Healthy Volunteers," *Journal of the International Society of Sports Nutrition*. 10, no. 1 (2013): 48, doi: 10.1186/1550-2783-10-48.

These effects have been found both in people with arthritic conditions and in those with healthy joints: U. Gimsa et al., "Type II Collagen Serology: A Guide to Clinical Responsiveness to Oral Tolerance?," *Rheumatology International* 16, no. 6 (1997): 237–40, doi: 10.1007/BF01375655.

Ten to 40 milligrams of undenatured type-II collagen per day is effective: Martha L. Barnett et al., "Treatment of Rheumatoid Arthritis with Oral Type II Collagen: Results of a Multicenter,



Double-Blind, Placebo-Controlled Trial," *Arthritis Rheumatology* 41, no. 2 (1998): 290–97, doi: 10.1002/1529-0131(199802) 41:2<290::AID-ART13>3.0.CO;2-R; David C. Crowley et al., "Safety and Efficacy of Undenatured Type II Collagen in the Treatment of Osteoarthritis of the Knee: A Clinical Trial," *International Journal of Medical Sciences* 6, no. 6 (2009): 312–21, doi: 10.7150/ijms.6.312.

Frankincense contains molecules called boswellic acids: Eckart-Roderich Sailer et al., "Acetyl-11-Keto-Beta-Boswellic Acid (AKBA): Structure Requirements for Binding and 5-Lipoxygenase Inhibitory Activity," *British Journal of Pharmacology* 117, no. 4(1996): 615–18, doi: 10.1111/j.1476-5381.1996.tb15235.x.

boswellia reduces joint inflammation and pain: Nitin Kimmatkar et al., "Efficacy and Tolerability of Boswellia serrata Extract in Treatment of Osteoarthritis of Knee: A Randomized Double Blind Placebo Controlled Trial," *Phytomedicine* 10, no. 1 (2003): 3–7, doi: 10.1078/094471103321648593; H. P. Ammon, "Boswellic Acids in Chronic Inflammatory Diseases," *Planta Medica* 72, no. 12 (2006): 1100–16, doi: 10.1055/s-2006-947227.

the roster of health benefits associated with curcumin is impressive and growing: Bharat B Aggarwal et al., "Curcumin: The Indian Solid Gold," *Advances in Experimental Medicine and Biology* 595 (2007): 1–75, doi: 10.1007/978-0-387-46401-5_1.

Curcumin also produces healthier, less painful joints: Sita Aggarwal et al., "Cur-cumin (Diferuloylmethane) Down-Regulates Expression of Cell Proliferation and Antiapoptotic and Metastatic Gene Products through Suppression of I κ B Kinase and Akt Activation," *Molecular Pharmacology* 69, no. 1 (2006): 195–206, doi: 10.1124/mol.105.017400.

it's poorly absorbed in the intestines: Preetha Anand et al., "Bioavailability of Curcumin: Problems and Promises," *Molecular*

Pharmaceutics 4, no. 6 (2007): 807–18, doi: 10.1021/mp700113r.

you must take a patented form of curcumin: Giuseppe Garcea et al., "Consumption of the Putative Chemopreventive Agent Curcumin by Cancer Patients: Assessment of Curcumin Levels in the Colorectum and Their Pharmacodynamic Consequences," *Cancer Epidemiology Biomarkers and Prevention* 14, no. 1 (2005): 120–25, <https://pubmed.ncbi.nlm.nih.gov/15668484/>.

DHEA increases testosterone production in older men and estrogen production in older women: Te-Chih Liu et al., "Effect of Acute DHEA Administration on Free Testosterone in Middle-Aged and Young Men Following High-Intensity Interval Training," *European Journal of Applied Physiology* 113, no. 7 (2013): 1783–92, doi: 10.1007/s00421-013-2607-x; Anne Kenny et al., "Dehydroepiandrosterone Combined with Exercise Improves Muscle Strength and Physical Function in Frail Older Women," *Journal of the American Geriatrics Society* 58, no. 9 (2010): 1707–14, doi: 10.1111/j.1532-5415.2010.03019.x.

The major benefit of rhodiola is a reduction in fatigue: Vahagn Darbinyan et al., "Rhodiola rosea in Stress Induced Fatigue: A Double Blind Cross-Over Study of a Standardized Extract SHR-5 with a Repeated Low-Dose Regimen on the Mental Performance of Healthy Physicians during Night Duty," *Phytomedicine* 7, no. 5 (2000): 365–71, doi: 10.1016/S0944-7113(00)80055-0.

it can enhance, or at least preserve, cognition and mood: Yevgeniya Lekomtseva et al., "Rhodiola rosea in Subjects with Prolonged or Chronic Fatigue Symptoms: Results of an Open-Label Clinical Trial," *Research in Complementary Medicine* 24, no. 1 (2017): 46–52, doi: 10.1159/000457918; Erik M. G. Olsson et al., "A Randomised, Double-Blind, Placebo-Controlled, Parallel-Group Study of the Standardised Extract SHR-5 of the Roots of Rhodiola rosea in the Treatment of



Subjects with Stress-Related Fatigue," *Planta Medica* 75, no.2 (2009): 105–12, doi: 10.1055/s-0028-1088346; Mark Cropley, "The Effects of *Rhodiola rosea* L. Extract on Anxiety, Stress, Cognition, and Other Mood Symptoms," *Phytotherapy Research* 29, no. 12 (2015): 1934–39, doi: 10.1002 /ptr.5486.

Increasing power and strength: Sachin Wankhede et al., "Examining the effect of *Withania somnifera* Supplementation on Muscle Strength and Recovery: A Randomized Controlled Trial," *Journal of the International Society of Sports Nutrition* 12, no. 1 (2015): 43, doi: 10.1186/s12970-015-0104-9.

Reducing chronic and acute cortisol increases from stress: Beenish Khan et al., "Augmentation and Proliferation of T Lymphocytes and Th-1 Cytokines by *Withania somnifera* in Stressed Mice," *International Immunopharmacology* 6, no. 9 (2006): 1394–1403, doi: 10.1016/j.intimp.2006.04.001; Biswajit Auddy et al., "A Standardized *Withania somnifera* Extract Significantly Reduces Stress-Related Parameters in Chronically Stressed Humans: A Double-Blind, Randomized, Placebo-Controlled Study," *Journal of the American Nutraceutical Association* 11 (2008): 50–6, https://www.researchgate.net/publication/242151370_A_Standardized_Withania_Somnifera_Extract_Significantly_Reduces_Stress-Related_Parameters_in_Chronically_Stressed_Humans_A_Double-Blind_Randomized_Placebo-Controlled_Study.

Lowering feelings of stress and anxiety: Chittaranjan Andrade et al., "A Double- Blind, Placebo-Controlled Evaluation of the Anxiolytic Efficacy of an Ethanolic Extract of *Withania somnifera*," *Indian Journal of Psychiatry* 42, no. 3 (2000): 295–301, <https://pubmed.us/21407960>; Kieran Cooley et al., "Naturopathic Care for Anxiety: A Randomized Controlled Trial ISRCTN78958974," *PLoS One* 4, no. 8 (2009): e6628, doi: 10.1371/journal.pone.0006628; Auddy et al., "A Standardized *Withania somnifera* Extract."

Restoring fertility in men: Vijay AMBIYE et al., "Clinical Evaluation of the Spermatogenic Activity of the Root Extract of *Ashwagandha* (*Withania somnifera*) in Oligospermic Males: A Pilot Study," *Evidence-Based Complementary and Alternative Medicine* 2013, no. 4 (2013): 571420, doi: 10.1155/2013/571420.

Improving immune function: Jeremy Mikolai et al., "In vivo Effects of *Ashwagandha* (*Withania somnifera*) Extract on the Activation of Lymphocytes," *Journal of Alternative and Complementary Medicine* 15, no. 4 (2009): 423–30, doi: 10.1089/acm.2008.0215.

Increasing cardiovascular endurance: Shweta Shenoy et al., "Effects of Eight Week Supplementation of *Ashwagandha* on Cardiorespiratory Endurance in Elite Indian Cyclists," *Journal of Ayurveda and Integrative Medicine* 3, no. 4 (2012): 209–14, doi: 10.4103/0975-9476.104444.

Protecting against pigments that accumulate during Alzheimer's disease: Neha Sehgal et al., "*Withania somnifera* Reverses Alzheimer's Disease Pathology by Enhancing Low-Density Lipoprotein Receptor-Related Protein in Liver," *Proceedings of the National Academy of Sciences* 109, no. 9 (2012): 3510–15, doi:10.1073/pnas.1112209109; Kesavarao V. Kurapati et al., "*Ashwagandha* (*Withania somnifera*) Reverses β -Amyloid 1–42 Induced Toxicity in Human Neuronal Cells: Implications in HIV-Associated Neurocognitive Disorders (HAND)," *PLoS One* 8, no. 10 (2013): e77624, doi: 10.1371/journal.pone.0077624.

its primary benefits are improved libido and sexual function in men and women and enhanced mood: Nicole A. Brooks et al., "Beneficial Effects of *Lepidium meyenii* (Maca) on Psychological Symptoms and Measures of Sexual Dysfunction in Postmenopausal Women Are Not Related to Estrogen or Androgen Content," *Menopause* 15, no. 6 (2008): 1157–62, doi: 10.1097/gme.0b013e3181732953; Teo Zenico



et al., "Subjective Effects of *Lepidium meyenii* (Maca) Extract on Well-Being and Sexual Performances in Patients with Mild Erectile Dysfunction: A Randomised, Double-Blind Clinical Trial," *Andrologia* 41, no. 2 (2009): 95–99, doi: 10.1111/j.1439-0272.2008.00892.x; Lily Stojanovska et al., "Maca Reduces Blood Pressure and Depression, in a Pilot Study in Postmenopausal Women," *Climacteric* 18, no. 1 (2015): 69–78, doi: 10.3109/13697137.2014.929649.

16 常見問題

moderate- and high-intensity strength training . . . rarely aggravates arthritis symptoms: Nancy Latham and Chiung-Ju Liu, "Strength Training in Older Adults: The Benefits for Osteo arthritis," *Clinics in Geriatric Medicine* 26, no. 3 (2010): 445–59, doi: 10.1016/j.cger.2010.03.006; Arja Häkkinen, "Effectiveness and Safety of Strength Training in Rheumatoid Arthritis," *Current Opinion in Rheumatology* 16, no. 2 (2004): 132–37, doi: 10.1097/00002281-200403000-00011; Zuzana de Jong et al., "Long Term High Intensity Exercise and Damage of Small Joints in Rheumatoid Arthritis," *Annals of the Rheumatic Diseases* 63, no. 11 (2004): 1399–1405, doi: 10.1136/ard.2003.015826; Miriam E. Nelson et al., "Effects of High-Intensity Strength Training on Multiple Risk Factors for Osteoporotic Fractures: A Randomized Controlled Trial," *JAMA* 272, no. 24 (1994): 1909–14, doi: 10.1001/jama.1994.03520240037038.

it can substantially decrease blood pressure: Véronique A. Cornelissen, "Effect of Resistance Training on Resting Blood Pressure: A Meta- analysis of Randomized Controlled Trials," *Journal of Hypertension* 23, no. 2 (2005): 251–59, doi: 10.1097/00004872-200502000-00003; George Kelley and Kristi S. Kelley, "Progressive Resistance Exercise and Resting Blood Pressure: A Meta-analysis of Randomized Controlled Trials," *Hypertension* 35, no. 3 (2000): 838–43, doi: 10.1161/01.HYP.35.3.838; Véronique A. Cornelissen and Neil

A. Smart, "Exercise Training for Blood Pressure: A Systematic Review and Meta- analysis," *Journal of the American Heart Association* 2, no. 1 (2013): e004473, doi:10.1161/JAHA.112.004473.

your cardiovascular system may not be up to intense exercise yet: Alexandra S. Ghadieh and Basem Saab, "Evidence for Exercise Training in the Management of Hypertension in Adults," *Canadian Family Physician* 61, no. 3 (2015): 233–39, <https://pubmed.ncbi.nlm.nih.gov/25927108/>.

it takes at least three to four weeks of no training: Paul S. Hwang et al., "Resistance Training-Induced Elevations in Muscular Strength in Trained Men Are Maintained after 2 Weeks of Detraining and Not Differentially Affected by Whey Protein Supplementation," *Journal of Strength and Conditioning Research* 31, no. 4 (2017): 869–81, doi: 10.1519/JSC.0000000000001807.

strength training appears to permanently alter the physiology of muscle cells: Behzad Bazgir et al., "Satellite Cells Contribution to Exercise Mediated Muscle Hypertrophy and Repair," *Cell Journal* 18, no. 4 (2017): 473–84, doi: 10.22074/cellj.2016.4714.

increasing water intake (especially when added to meals): Elizabeth A. Dennis et al., "Water Consumption Increases Weight Loss During a Hypocaloric Diet Intervention in Middle-Aged and Older Adults," *Obesity* 18, no. 2 (2010): 300–7, doi: 10.1038/oby.2009.235; Raimo Lappalainen et al., "Drinking Water with a Meal: A Simple Method of Coping with Feelings of Hunger, Satiety and De-sire to Eat," *European Journal of Clinical Nutrition* 47, no. 11 (1993): 815–19, <https://pubmed.ncbi.nlm.nih.gov/8287852/>.

the National Academy of Medicine recommends a baseline intake of about ¾ of a gallon of water per day: American College of Sports Medicine et al., "American College of Sports Medicine Position Stand: Exercise and Fluid Replacement," *Medicine and Science in Sports and Exercise* 39, no. 2 (2007): 377–90, doi: 10.1249/



mss.0b013e31802ca597.

A study conducted by scientists at the European Center for Taste Sciences: Laurent Brondel, et al., "Acute Partial Sleep Deprivation Increases Food Intake in Healthy Men," *American Journal of Clinical Nutrition* 91, no. 6 (2010): 1550–59, doi: 10.3945/ajcn.2009.28523.

just a single night of sleep deprivation increases brain activity associated with hunger: Christian Benedict et al., "Acute Sleep Deprivation Enhances the Brain's Response to Hedonic Food Stimuli: An fMRI Study," *Journal of Clinical Endocrinology and Metabolism* 97, no. 3 (Mar 2012): E443–47, doi: 10.1210/jc.2011-2759.

adults need seven to nine hours of sleep per night: "How Much Sleep Do We Really Need?," National Sleep Foundation website, accessed August 26, 2018, <https://sleepfoundation.org/how-sleep-works/how-much-sleep-do-we-really-need>.

Mindful eating involves paying attention to your meal while you're eating: Gayle M. Timmerman and Adama Brown, "The Effect of a Mindful Restaurant Eating Intervention on Weight Management in Women," *Journal of Nutrition Education and Behavior* 44, no. 1 (2012): 22–28, doi: 10.1016/j.jneb.2011.03.143.

muscle damage may contribute to growth, but it isn't a requirement: Brad J. Schoenfeld, "The Mechanisms of Muscle Hypertrophy and Their Application to Resistance Training," *Journal of Strength and Conditioning Research* 24, no. 10 (2010): 2857–72, doi: 10.1519/JSC.0b013e3181e840f3.

Workouts that produce large amounts of muscle soreness can generate little growth: Kyle L. Flann, "Muscle Damage and Muscle Remodeling: No Pain, No Gain?," *Journal of Experimental Biology* 15, no. 214 (Feb 2011): 674–79, doi: 10.1242/jeb.050112; Kyung-Shin

Park and Man-Gyoon Lee, "Effects of Unaccustomed Downhill Running on Muscle Damage, Oxidative Stress, and Leukocyte Apoptosis," *Journal of Exercise Nutrition and Biochemistry* 19, no. 2 (2015): 55–63, doi: 10.5717/jenb.2015.15050702; Jason P. Brandenburg and David Docherty, "The Effects of Accentuated Eccentric Loading on Strength, Muscle Hypertrophy, and Neural Adaptations in Trained Individuals," *Journal of Strength and Conditioning Research* 16, no. 1 (2002): 25–32, <https://pubmed.ncbi.nlm.nih.gov/11834103/>; Simon Walker et al., "Greater Strength Gains after Training with Accentuated Eccentric than Traditional Isoinertial Loads in Already Strength-Trained Men," *Frontiers in Physiology* 7, no. 7 (Apr 2016): 149, doi: 10.3389/fphys.2016.00149.

isn't a reliable indicator of the degree of muscle damage: Kazunori Nosaka, Mike Newton, and Paul Sacco, "Delayed-Onset Muscle Soreness Does Not Reflect the Magnitude of Eccentric Exercise-Induced Muscle Damage," *Scandinavian Journal of Medicine and Science in Sports* 12, no. 6 (Dec 2002): 337–46, doi: 10.1034/j.1600-0838.2002.10178.x.

stems from the connective tissue holding muscle fibers together: R. M. Crameri et al., "Myofibre Damage in Human Skeletal Muscle: Effects of Electrical Stimulation versus Voluntary Contraction," *Journal of Physiology* 15, no. 583 (Aug 2007): 365–80, doi: 10.1113/jphysiol.2007.128827.

Training sore muscles doesn't necessarily hinder recovery and prevent muscle growth: Trevor C. Chen and Kazunori Nosaka, "Responses of Elbow Flexors to Two Strenuous Eccentric Exercise Bouts Separated by Three Days," *Journal of Strength and Conditioning Research* 20, no. 1 (2006): 108, doi: 10.1519/R-16634.1.

your normal workouts will only make things worse by depressing immune function: Nicolette C. Bishop and Michael Gleeson, "Acute



and Chronic Effects of Exercise on Markers of Mucosal Immunity," *Frontiers in Bioscience (Land-mark Edition)* 14, (2009): 4444–56, doi: 10.2741/3540.

light exercise . . . while infected with the influenza virus can boost immunity and recovery: E. A. Murphy et al., "Exercise Stress Increases Susceptibility to Influenza Infection," *Brain, Behavior, and Immunity* 22, no. 8 (2008):1152–55, doi: 10.1016/j.bbi.2008.06.004.

Similar effects have been seen in human studies: Stephen A. Martin, Brandt D Pence, and Jeffrey A. Woods, "Exercise and Respiratory Tract Viral Infections," *Exercise and Sport Sciences Reviews* 37, no. 4 (Oct 2009): 157–64, doi: 10.1097 /JES.0b013e3181b7b57b; T. G. Weidner et al., "The Effect of Exercise Training on the Severity and Duration of a Viral Upper Respiratory Illness," *Medicine and Science in Sports and Exercise* 30, no. 11 (November 1998): 1578–83, doi: 10.1097/00005768-199811000-00004.